



|   |   |         |                         |               |
|---|---|---------|-------------------------|---------------|
|  | <b>Project</b>                            | SPORIFY | <b>Document Type</b>    | OQ Script     |
|   |   |         | <b>Document Version</b> | 1.0           |
| <b>Document Name</b>  | AG_SPOR_2026.1.0.0_OQ_Products_Comparison |         | <b>Page</b>             | Page 1 of 118 |

## Pre Execution Signatures

|                      |  |              |                         |
|----------------------|--|--------------|-------------------------|
| <b>Authored by :</b> | Sneha S<br>00006387<br>Author                | <b>Date:</b> | 04 May 2026 at 12:36 PM |
| <b>Reviewed By :</b> | Santhosh Subramanyam<br>00002803<br>Reviewer | <b>Date:</b> | 04 May 2026 at 12:49 PM |
| <b>Approved By :</b> | Arun Dominick<br>00002459<br>Approver        | <b>Date:</b> | 04 May 2026 at 12:52 PM |

|   |   |         |                         |               |
|---|---|---------|-------------------------|---------------|
|  | <b>Project</b>                            | SPORIFY | <b>Document Type</b>    | OQ Script     |
|   |   |         | <b>Document Version</b> | 1.0           |
| <b>Document Name</b>  | AG_SPOR_2026.1.0.0_OQ_Products_Comparison |         | <b>Page</b>             | Page 2 of 118 |

## 1. Purpose

To verify the below user requirements:

FR\_PROD\_COMP\_002: The system shall allow a user with the appropriate permission to create product comparisons (except in cases where the product has been nullified) from the Compare Products screen.

FR\_PROD\_COMP\_013: The system shall allow a user to view a graphical IDMP Sections summary in Compare Products, and hover over each segment to see section-level comparison details and counts.

FR\_PROD\_COMP\_014: The system shall allow a user to delete a comparison report from the Compare Products screen, subject to having the required Delete permission.


FR\_PROD\_COMP\_016: The system shall allow a user to filter products in Compare Products using a multi select IDMP Section filter and an associated IDMP Data Quality filter.

Record the following

|                                    |                                |
|------------------------------------|--------------------------------|
| <b>Product Name</b>                | <i>SPORIFY</i>                 |
| <b>Product Version</b>             | <i>2026.1.0.0</i>              |
| <b>Test Script Approval Status</b> | <i>Approved</i>                |
| <b>Execution Date</b>              | <i>05 May 2026 at 12:39 PM</i> |
| <b>Execution Status</b>            | <i>Passed</i>                  |
| <b>Execution Approval Status</b>   | <i>Approved</i>                |
| <b>Run Name[Run ID]</b>            | <i>Run_5-5_10-39-29[3150]</i>  |

## 2. Pre-Requisites

1. Pre-Validation plan is approved.
2. Tester to complete the required trainings on the application/product/system/ validation testing requirements.
3. ALM Access with respect to project shall be provided.
4. OQ shall be reviewed and approved for execution.

|   |   |         |                         |               |
|---|---|---------|-------------------------|---------------|
|  | <b>Project</b>                            | SPORIFY | <b>Document Type</b>    | OQ Script     |
|   |   |         | <b>Document Version</b> | 1.0           |
| <b>Document Name</b>  | AG_SPOR_2026.1.0.0_OQ_Products_Comparison |         | <b>Page</b>             | Page 3 of 118 |

5. IQ script is executed successfully.
6. MAH configurations are available for the tenant.
7. PMS Synchronisation is completed and target products are available.

### 3. Test Conditions


Not Applicable

### 4. Special Instructions

1. The tester shall capture, where possible, objective evidences of the input, the results such as change in status on the status bar, and System generated values, message box, error messages etc., with the System Date and Time stamps of the execution.
2. Steps marked as \*PS\* shall capture screenshots relevant to that step along with System Date and Time stamps of the execution.
3. The executor shall enter the 'Actual Results' column as "AE" which is an abbreviated for "As Expected" provided the result matches the expected results.
4. 'NA' in the Test Data Column represents that there is no Test Data applicable for that step.


### 5. Execution Environment


Validation


|   |   |         |                  |               |
|---|---|---------|------------------|---------------|
|  | Project                                   | SPORIFY | Document Type    | OQ Script     |
|   |   |         | Document Version | 1.0           |
| Document Name   | AG_SPOR_2026.1.0.0_OQ_Products_Comparison |         | Page             | Page 4 of 118 |


## 6. Test Steps


| Step No | Procedure Steps  | Test Data  | Expected Results            | Actual Results  | Test Status |
|---------|--|--|-----------------------------|---|-------------|
| Step 1  | Pre-requisite:<br>1.User is available with Dashboard and Products domain (full) permission.<br>2.Product Source List and Source Products are available.<br>3.Target Products are available<br>*PS* | 1.User Name:<br><pyproduser01> with permissions to Dashboard and Products domain (full)<br>2.List Name:<br><SourceList1> | All Pre-requisites are met. | 1.User Name: prevaluser4 with permissions to Dashboard and Products domain (full)<br>2.List Name: Preval_comp<br><br>AE<br><br>Chandrashekar<br>Naguvanahalli<br>Shankaregowda<br>05 May 2026 at 10:47 AM | Passed      |


|   |   |         |                  |               |
|---|---|---------|------------------|---------------|
|  | Project                                   | SPORIFY | Document Type    | OQ Script     |
|   |   |         | Document Version | 1.0           |
| Document Name   | AG_SPOR_2026.1.0.0_OQ_Products_Comparison |         | Page             | Page 5 of 118 |


| Step No | Procedure Steps  | Test Data | Expected Results | Actual Results | Test Status                    |               |           |                     |                     |       |               |               |        |                 |               |  |             |        |       |      |                                |  |  |                     |                     |
|---------|--|-----------|------------------|----------------|--------------------------------|---------------|-----------|---------------------|---------------------|-------|---------------|---------------|--------|-----------------|---------------|--|-------------|--------|-------|------|--------------------------------|--|--|---------------------|---------------------|
|         |  <p>The screenshot shows the SPORIFY web application interface for user management. The browser address bar shows the URL: https://preval.sporify.eu/Application#/users. The page title is 'Users' with a subtitle 'Manage users and permissions'. There are buttons for 'EXPORT TO EXCEL' and '+ CREATE NEW USER'. A search bar contains 'prevaluser4'. Below the search bar, there is a table with one user entry:</p> <table border="1"> <thead> <tr> <th>Actions</th> <th>User Name</th> <th>Name</th> <th>Surname</th> <th>Roles</th> <th>Email Address</th> <th>Email Confirm</th> <th>Active</th> <th>Last Login Time</th> <th>Creation Time</th> </tr> </thead> <tbody> <tr> <td></td> <td>prevaluser4</td> <td>preval</td> <td>user4</td> <td>User</td> <td>chandrashekar.shankaregowda...</td> <td></td> <td></td> <td>05/05/2026 10:27:51</td> <td>05/05/2026 08:50:28</td> </tr> </tbody> </table> <p>At the bottom of the table, it says '1 - 1 of 1 items' and '50 items per page'. The Windows taskbar at the bottom shows the time as 10:42 AM on 5/5/2026.</p> |           |                  |                |                                | Actions       | User Name | Name                | Surname             | Roles | Email Address | Email Confirm | Active | Last Login Time | Creation Time |  | prevaluser4 | preval | user4 | User | chandrashekar.shankaregowda... |  |  | 05/05/2026 10:27:51 | 05/05/2026 08:50:28 |
| Actions | User Name  | Name      | Surname          | Roles          | Email Address                  | Email Confirm | Active    | Last Login Time     | Creation Time       |       |               |               |        |                 |               |  |             |        |       |      |                                |  |  |                     |                     |
|         | prevaluser4  | preval    | user4            | User           | chandrashekar.shankaregowda... |               |           | 05/05/2026 10:27:51 | 05/05/2026 08:50:28 |       |               |               |        |                 |               |  |             |        |       |      |                                |  |  |                     |                     |


|   |   |         |                  |               |
|---|---|---------|------------------|---------------|
|  | Project                                   | SPORIFY | Document Type    | OQ Script     |
|   |   |         | Document Version | 1.0           |
| Document Name   | AG_SPOR_2026.1.0.0_OQ_Products_Comparison |         | Page             | Page 6 of 118 |


| Step No | Procedure Steps   | Test Data | Expected Results | Actual Results | Test Status |
|---------|---|-----------|------------------|----------------|-------------|
|         |  |           |                  |                |             |

|   |   |         |                  |               |
|---|---|---------|------------------|---------------|
|  | Project                                   | SPORIFY | Document Type    | OQ Script     |
|   |   |         | Document Version | 1.0           |
| Document Name   | AG_SPOR_2026.1.0.0_OQ_Products_Comparison |         | Page             | Page 7 of 118 |


| Step No | Procedure Steps   | Test Data  | Expected Results  | Actual Results   | Test Status |         |        |         |              |                  |   |             |            |                                   |  |   |             |            |   |  |   |             |            |  |   |   |             |            |  |  |   |             |            |   |  |   |             |            |  |   |
|---------|---|------------|---|--|-------------|---------|--------|---------|--------------|------------------|---|-------------|------------|-----------------------------------|--|---|-------------|------------|---|--|---|-------------|------------|--|---|---|-------------|------------|--|--|---|-------------|------------|---|--|---|-------------|------------|--|---|
|         |  <p>The screenshot shows the SPORIFY web application interface. At the top, there's a navigation menu with options like Products, Source Lists, Target Products, Compare Products, User Guides, and Policies. The main content area is titled 'Preval_comp' and shows a comparison of source products to PMS. A search bar is present, and a progress bar indicates '50% Matched' and '50% Not Set'. Below this is a table with the following data:</p> <table border="1"> <thead> <tr> <th>Actions</th> <th>PMS ID</th> <th>EV Code</th> <th>Product Name</th> <th>PMS Product Name</th> </tr> </thead> <tbody> <tr> <td>⋮</td> <td>60000000598</td> <td>PRD9634490</td> <td>Tivicay 50 mg film-coated tablets</td> <td></td> </tr> <tr> <td>⋮</td> <td>60000000661</td> <td>PRD9634490</td> <td>Boxsero suspension for injection in pre-filled syrin...</td> <td></td> </tr> <tr> <td>⋮</td> <td>60000000622</td> <td>PRD9634490</td> <td>Pumarix suspension and emulsion for emulsion fo...</td> <td>Pumarix suspension and emulsion<br/>PMS Id: 600000000622</td> </tr> <tr> <td>⋮</td> <td>60000000684</td> <td>PRD9634490</td> <td>Kivexa 600 mg/300 mg film-coated tablets</td> <td></td> </tr> <tr> <td>⋮</td> <td>60000000635</td> <td>PRD9634490</td> <td>Infanrix hexa, Powder and suspension for suspens...</td> <td>Infanrix hexa, Powder and suspensi<br/>PMS Id: 600000000635</td> </tr> <tr> <td>⋮</td> <td>60000000804</td> <td>PRD9634490</td> <td>BLNREP 100 mg powder for concentrate for soluti...</td> <td>BLNREP 100 mg powder for concen<br/>PMS Id: 600000000804</td> </tr> </tbody> </table> <p>At the bottom of the screenshot, the Windows taskbar is visible, showing the time as 10:46 AM on 5/5/2026.</p> |            |   |  |             | Actions | PMS ID | EV Code | Product Name | PMS Product Name | ⋮ | 60000000598 | PRD9634490 | Tivicay 50 mg film-coated tablets |  | ⋮ | 60000000661 | PRD9634490 | Boxsero suspension for injection in pre-filled syrin... |  | ⋮ | 60000000622 | PRD9634490 | Pumarix suspension and emulsion for emulsion fo... | Pumarix suspension and emulsion<br>PMS Id: 600000000622 | ⋮ | 60000000684 | PRD9634490 | Kivexa 600 mg/300 mg film-coated tablets |  | ⋮ | 60000000635 | PRD9634490 | Infanrix hexa, Powder and suspension for suspens... | Infanrix hexa, Powder and suspensi<br>PMS Id: 600000000635 | ⋮ | 60000000804 | PRD9634490 | BLNREP 100 mg powder for concentrate for soluti... | BLNREP 100 mg powder for concen<br>PMS Id: 600000000804 |
| Actions | PMS ID  | EV Code    | Product Name  | PMS Product Name   |             |         |        |         |              |                  |   |             |            |                                   |  |   |             |            |   |  |   |             |            |  |   |   |             |            |  |  |   |             |            |   |  |   |             |            |  |   |
| ⋮       | 60000000598   | PRD9634490 | Tivicay 50 mg film-coated tablets                       |  |             |         |        |         |              |                  |   |             |            |                                   |  |   |             |            |   |  |   |             |            |  |   |   |             |            |  |  |   |             |            |   |  |   |             |            |  |   |
| ⋮       | 60000000661   | PRD9634490 | Boxsero suspension for injection in pre-filled syrin... |  |             |         |        |         |              |                  |   |             |            |                                   |  |   |             |            |   |  |   |             |            |  |   |   |             |            |  |  |   |             |            |   |  |   |             |            |  |   |
| ⋮       | 60000000622   | PRD9634490 | Pumarix suspension and emulsion for emulsion fo...      | Pumarix suspension and emulsion<br>PMS Id: 600000000622    |             |         |        |         |              |                  |   |             |            |                                   |  |   |             |            |   |  |   |             |            |  |   |   |             |            |  |  |   |             |            |   |  |   |             |            |  |   |
| ⋮       | 60000000684   | PRD9634490 | Kivexa 600 mg/300 mg film-coated tablets                |  |             |         |        |         |              |                  |   |             |            |                                   |  |   |             |            |   |  |   |             |            |  |   |   |             |            |  |  |   |             |            |   |  |   |             |            |  |   |
| ⋮       | 60000000635   | PRD9634490 | Infanrix hexa, Powder and suspension for suspens...     | Infanrix hexa, Powder and suspensi<br>PMS Id: 600000000635 |             |         |        |         |              |                  |   |             |            |                                   |  |   |             |            |   |  |   |             |            |  |   |   |             |            |  |  |   |             |            |   |  |   |             |            |  |   |
| ⋮       | 60000000804   | PRD9634490 | BLNREP 100 mg powder for concentrate for soluti...      | BLNREP 100 mg powder for concen<br>PMS Id: 600000000804    |             |         |        |         |              |                  |   |             |            |                                   |  |   |             |            |   |  |   |             |            |  |   |   |             |            |  |  |   |             |            |   |  |   |             |            |  |   |


|   |   |         |                  |               |
|---|---|---------|------------------|---------------|
|  | Project                                   | SPORIFY | Document Type    | OQ Script     |
|   |   |         | Document Version | 1.0           |
| Document Name   | AG_SPOR_2026.1.0.0_OQ_Products_Comparison |         | Page             | Page 8 of 118 |


| Step No | Procedure Steps   | Test Data | Expected Results | Actual Results | Test Status |
|---------|---|-----------|------------------|----------------|-------------|
|         |  |           |                  |                |             |


|   |   |         |                         |               |
|---|---|---------|-------------------------|---------------|
|  | <b>Project</b>                            | SPORIFY | <b>Document Type</b>    | OQ Script     |
|   |   |         | <b>Document Version</b> | 1.0           |
| <b>Document Name</b>  | AG_SPOR_2026.1.0.0_OQ_Products_Comparison |         | <b>Page</b>             | Page 9 of 118 |


| Step No | Procedure Steps   | Test Data   | Expected Results                               | Actual Results   | Test Status |
|---------|---|---|--|--|-------------|
| Step 2  | Launch the SPORIFY application and enter the details as mentioned in test data column. Click on LOGIN button.<br>*PS* | URL:<br><https://preval.sporify.eu/Account/Login><br>Tenancy Name:<br><preval><br>User name or email:<br><pvproduser01><br>Password: <Enter valid password of the user> | The SPORIFY application homepage is displayed. | URL:<br>https://preval.sporify.eu/Account/Login<br>Tenancy Name: AGSAN<br>User name or email:<br>prevaluser4<br><br>AE<br><br>Chandrashekar<br>Naguvanahalli<br>Shankaregowda<br>05 May 2026 at 10:49 AM | Passed      |


|   |   |         |                  |                |
|---|---|---------|------------------|----------------|
|  | Project                                   | SPORIFY | Document Type    | OQ Script      |
|   |   |         | Document Version | 1.0            |
| Document Name   | AG_SPOR_2026.1.0.0_OQ_Products_Comparison |         | Page             | Page 10 of 118 |


| Step No | Procedure Steps   | Test Data | Expected Results | Actual Results | Test Status |
|---------|---|-----------|------------------|----------------|-------------|
|         |  |           |                  |                |             |

|   |   |         |                  |                |
|---|---|---------|------------------|----------------|
|  | Project                                   | SPORIFY | Document Type    | OQ Script      |
|   |   |         | Document Version | 1.0            |
| Document Name   | AG_SPOR_2026.1.0.0_OQ_Products_Comparison |         | Page             | Page 11 of 118 |


| Step No | Procedure Steps   | Test Data | Expected Results | Actual Results | Test Status |
|---------|---|-----------|------------------|----------------|-------------|
|         |  |           |                  |                |             |

|   |   |         |                  |                |
|---|---|---------|------------------|----------------|
|  | Project                                   | SPORIFY | Document Type    | OQ Script      |
|   |   |         | Document Version | 1.0            |
| Document Name   | AG_SPOR_2026.1.0.0_OQ_Products_Comparison |         | Page             | Page 12 of 118 |

| Step No | Procedure Steps   | Test Data | Expected Results | Actual Results | Test Status |
|---------|---|-----------|------------------|----------------|-------------|
|         |  <p>The screenshot displays the SPORIFY dashboard interface. At the top, there's a navigation bar with the SPORIFY logo and user information (AGSAN\prevaluser4). The main dashboard area is divided into several sections:</p> <ul style="list-style-type: none"> <li><b>MAPPING STATUS OVERVIEW:</b> A bar chart showing mapping status for Substances, Organisations, and Referentials.</li> <li><b>RESOLUTION STATUS OVERVIEW:</b> Four donut charts showing resolution percentages: Substances (Not Set 100%), Products (Matched 59%), Organisations (Not Set 100%), and Referentials (Not Set 100%).</li> <li><b>TARGET SYSTEM UPDATES:</b> A line chart showing updates from Jun-2025 to Apr-2026 for SPOR RMS, SPOR OMS, Substances, and Products.</li> <li><b>SPORIFY ACTIVITY:</b> A section for activity logs, currently filtered to 'Products'.</li> <li><b>TARGET SYSTEM ACTIVITY:</b> A section for system activity logs, currently filtered to 'All'.</li> </ul> <p>The Windows taskbar at the bottom shows the time as 10:49 AM on 5/5/2026.</p> |           |                  |                |             |

|   |   |         |                  |                |
|---|---|---------|------------------|----------------|
|  | Project                                   | SPORIFY | Document Type    | OQ Script      |
|   |   |         | Document Version | 1.0            |
| Document Name   | AG_SPOR_2026.1.0.0_OQ_Products_Comparison |         | Page             | Page 13 of 118 |


| Step No | Procedure Steps  | Test Data | Expected Results  | Actual Results   | Test Status |
|---------|--|-----------|---|--|-------------|
| Step 3  | Expand Products and click on Compare Products.<br>*PS* | NA        | New tab is opened and Compare Products screen is displayed. | AE<br><br>Chandrashekar<br>Naguvanahalli<br>Shankaregowda<br>05 May 2026 at 10:50 AM | Passed      |





The screenshot displays the SPORIFY dashboard with the following components:

- Navigation Menu:** Dashboard, Products (Overview, Source Lists, Target Products, Compare Products), User Guides, Policies.
- Dashboard Statistics and Reports:**
  - MAPPING STATUS OVERVIEW:** A bar chart showing mapping status across three categories.
  - Substances:** 6 SPS Available
  - Products:** SPOR Products: 2774
  - Organisations:** Organisations Available
  - Referentials:** Referentials Available
- RESOLUTION STATUS OVERVIEW:** Four donut charts for Substances (100% Not Set), Products (30% Not Set), Organisations (100% Not Set), and Referentials (100% Not Set).
- TARGET SYSTEM UPDATES:** A line chart showing updates from Jun-2025 to Apr-2026 for SPOR RMS, SPOR OMS, Substances, and Products.
- SPORIFY ACTIVITY:** A section for activity logs, currently showing 'All' and 'Products' filters.
- TARGET SYSTEM ACTIVITY:** A section for system activity logs, currently showing 'All' and 'Products' filters.


The browser address bar shows the URL: <https://preval.sporify.eu/Application#/tenant/dashboard>. The system tray at the bottom indicates the time is 10:49 AM on 5/5/2026.


|   |   |         |                  |                |
|---|---|---------|------------------|----------------|
|  | Project                                   | SPORIFY | Document Type    | OQ Script      |
|   |   |         | Document Version | 1.0            |
| Document Name   | AG_SPOR_2026.1.0.0_OQ_Products_Comparison |         | Page             | Page 14 of 118 |

| Step No | Procedure Steps   | Test Data | Expected Results | Actual Results | Test Status |
|---------|---|-----------|------------------|----------------|-------------|
|         |  |           |                  |                |             |


|   |   |         |                  |                |
|---|---|---------|------------------|----------------|
|  | Project                                   | SPORIFY | Document Type    | OQ Script      |
|   |   |         | Document Version | 1.0            |
| Document Name   | AG_SPOR_2026.1.0.0_OQ_Products_Comparison |         | Page             | Page 15 of 118 |


| Step No | Procedure Steps  | Test Data | Expected Results  | Actual Results   | Test Status |
|---------|--|-----------|---|--|-------------|
| Step 4  | FR_PROD_COMP_002:<br>Click on the Compare Products button.<br>*PS* | NA        | Product Comparison Pop up is displayed with Cancel and Compare buttons. | AE<br><br>Chandrashekar<br>Naguvanahalli<br>Shankaregowda<br>05 May 2026 at 10:51 AM | Passed      |





|   |   |         |                  |                |
|---|---|---------|------------------|----------------|
|  | Project                                   | SPORIFY | Document Type    | OQ Script      |
|   |   |         | Document Version | 1.0            |
| Document Name   | AG_SPOR_2026.1.0.0_OQ_Products_Comparison |         | Page             | Page 16 of 118 |


| Step No | Procedure Steps  | Test Data  | Expected Results  | Actual Results   | Test Status |
|---------|--|--|---|--|-------------|
| Step 5  | Verify fields in the Product Comparison Pop up is displayed as mentioned in the Test data.<br>*PS* | 1. Select Primary Product: Editable<br>2. Select Product : Editable<br>3. Select Secondary Product: Editable<br>4. Select Product : Editable | Fields in the Product Comparison Pop up is displayed as mentioned in the Test data. | 1. Select Primary Product: Editable<br>2. Select Product : Editable<br>3. Select Secondary Product: Editable<br>4. Select Product : Editable<br><br>AE<br><br>Chandrashekar<br>Naguvanahalli<br>Shankaregowda<br>05 May 2026 at 10:53 AM | Passed      |


|   |   |         |                  |                |
|---|---|---------|------------------|----------------|
|  | Project                                   | SPORIFY | Document Type    | OQ Script      |
|   |   |         | Document Version | 1.0            |
| Document Name   | AG_SPOR_2026.1.0.0_OQ_Products_Comparison |         | Page             | Page 17 of 118 |


| Step No | Procedure Steps   | Test Data | Expected Results | Actual Results | Test Status |
|---------|---|-----------|------------------|----------------|-------------|
|         |  |           |                  |                |             |


|   |   |         |                  |                |
|---|---|---------|------------------|----------------|
|  | Project                                   | SPORIFY | Document Type    | OQ Script      |
|   |   |         | Document Version | 1.0            |
| Document Name   | AG_SPOR_2026.1.0.0_OQ_Products_Comparison |         | Page             | Page 18 of 118 |


| Step No | Procedure Steps   | Test Data | Expected Results | Actual Results | Test Status |
|---------|---|-----------|------------------|----------------|-------------|
|         |  |           |                  |                |             |


|   |   |         |                  |                |
|---|---|---------|------------------|----------------|
|  | Project                                   | SPORIFY | Document Type    | OQ Script      |
|   |   |         | Document Version | 1.0            |
| Document Name   | AG_SPOR_2026.1.0.0_OQ_Products_Comparison |         | Page             | Page 19 of 118 |


| Step No | Procedure Steps   | Test Data | Expected Results | Actual Results | Test Status |
|---------|---|-----------|------------------|----------------|-------------|
|         |  |           |                  |                |             |

|   |   |         |                  |                |
|---|---|---------|------------------|----------------|
|  | Project                                   | SPORIFY | Document Type    | OQ Script      |
|   |   |         | Document Version | 1.0            |
| Document Name   | AG_SPOR_2026.1.0.0_OQ_Products_Comparison |         | Page             | Page 20 of 118 |


| Step No | Procedure Steps   | Test Data | Expected Results | Actual Results | Test Status |
|---------|---|-----------|------------------|----------------|-------------|
|         |  |           |                  |                |             |


|   |   |         |                  |                |
|---|---|---------|------------------|----------------|
|  | Project                                   | SPORIFY | Document Type    | OQ Script      |
|   |   |         | Document Version | 1.0            |
| Document Name   | AG_SPOR_2026.1.0.0_OQ_Products_Comparison |         | Page             | Page 21 of 118 |


| Step No | Procedure Steps   | Test Data | Expected Results | Actual Results | Test Status |
|---------|---|-----------|------------------|----------------|-------------|
|         |  |           |                  |                |             |


|   |   |         |                  |                |
|---|---|---------|------------------|----------------|
|  | Project                                   | SPORIFY | Document Type    | OQ Script      |
|   |   |         | Document Version | 1.0            |
| Document Name   | AG_SPOR_2026.1.0.0_OQ_Products_Comparison |         | Page             | Page 22 of 118 |


| Step No | Procedure Steps   | Test Data   | Expected Results   | Actual Results   | Test Status |
|---------|---|---|--|--|-------------|
| Step 6  | Select Primary Product and Product values as mentioned in test data column and verify Product Version field is not displayed for Primary Product.<br>*PS* | 1. Select Primary Product:<br><SourceList1><br>2. Select Product :<br><srcproduct1> | Primary Product details are selected and on selection Select Product Version field is not displayed for Primary Product. | 1. Select Primary Product: Preval_comp<br>2. Select Product : Kivexa 600 mg/300 mg film-coated tablets<br><br>AE<br><br>Chandrashekar<br>Naguvanahalli<br>Shankaregowda<br>05 May 2026 at 10:56 AM | Passed      |

|   |   |         |                  |                |
|---|---|---------|------------------|----------------|
|  | Project                                   | SPORIFY | Document Type    | OQ Script      |
|   |   |         | Document Version | 1.0            |
| Document Name   | AG_SPOR_2026.1.0.0_OQ_Products_Comparison |         | Page             | Page 23 of 118 |


| Step No | Procedure Steps   | Test Data | Expected Results | Actual Results | Test Status |
|---------|---|-----------|------------------|----------------|-------------|
|         |  |           |                  |                |             |


|   |   |         |                  |                |
|---|---|---------|------------------|----------------|
|  | Project                                   | SPORIFY | Document Type    | OQ Script      |
|   |   |         | Document Version | 1.0            |
| Document Name   | AG_SPOR_2026.1.0.0_OQ_Products_Comparison |         | Page             | Page 24 of 118 |


| Step No | Procedure Steps   | Test Data | Expected Results | Actual Results | Test Status |
|---------|---|-----------|------------------|----------------|-------------|
|         |  |           |                  |                |             |


|   |   |         |                  |                |
|---|---|---------|------------------|----------------|
|  | Project                                   | SPORIFY | Document Type    | OQ Script      |
|   |   |         | Document Version | 1.0            |
| Document Name   | AG_SPOR_2026.1.0.0_OQ_Products_Comparison |         | Page             | Page 25 of 118 |


| Step No | Procedure Steps   | Test Data   | Expected Results   | Actual Results  | Test Status |
|---------|---|---|--|---|-------------|
| Step 7  | Select Secondary Product and Product values as mentioned in test data column and verify Product Version field is not displayed for Secondary Product.<br>*PS* | 1. Select Secondary Product:<br><SourceList1><br>2. Select Product :<br><srcproduct2> | Secondary Product details are selected and on selection Select Product Version field is not displayed for Secondary Product. | 1. Select Secondary Product: Preval_comp<br>2. Select Product : Tivicay 50 mg film-coated tablets<br><br>AE<br><br>Chandrashekar<br>Naguvanahalli<br>Shankaregowda<br>05 May 2026 at 10:59 AM | Passed      |


|   |   |         |                  |                |
|---|---|---------|------------------|----------------|
|  | Project                                   | SPORIFY | Document Type    | OQ Script      |
|   |   |         | Document Version | 1.0            |
| Document Name   | AG_SPOR_2026.1.0.0_OQ_Products_Comparison |         | Page             | Page 26 of 118 |


| Step No | Procedure Steps   | Test Data | Expected Results | Actual Results | Test Status |
|---------|---|-----------|------------------|----------------|-------------|
|         |  |           |                  |                |             |

|   |   |         |                  |                |
|---|---|---------|------------------|----------------|
|  | Project                                   | SPORIFY | Document Type    | OQ Script      |
|   |   |         | Document Version | 1.0            |
| Document Name   | AG_SPOR_2026.1.0.0_OQ_Products_Comparison |         | Page             | Page 27 of 118 |


| Step No | Procedure Steps   | Test Data | Expected Results | Actual Results | Test Status |
|---------|---|-----------|------------------|----------------|-------------|
|         |  |           |                  |                |             |


|   |   |         |                  |                |
|---|---|---------|------------------|----------------|
|  | Project                                   | SPORIFY | Document Type    | OQ Script      |
|   |   |         | Document Version | 1.0            |
| Document Name   | AG_SPOR_2026.1.0.0_OQ_Products_Comparison |         | Page             | Page 28 of 118 |


| Step No | Procedure Steps   | Test Data | Expected Results | Actual Results | Test Status |
|---------|---|-----------|------------------|----------------|-------------|
|         |  |           |                  |                |             |


|   |   |         |                  |                |
|---|---|---------|------------------|----------------|
|  | Project                                   | SPORIFY | Document Type    | OQ Script      |
|   |   |         | Document Version | 1.0            |
| Document Name   | AG_SPOR_2026.1.0.0_OQ_Products_Comparison |         | Page             | Page 29 of 118 |


| Step No | Procedure Steps                      | Test Data | Expected Results         | Actual Results   | Test Status |
|---------|--------------------------------------|-----------|--------------------------|--|-------------|
| Step 8  | Click on the Compare button.<br>*PS* | NA        | Comparison is initiated. | AE<br><br>Chandrashekar<br>Naguvanahalli<br>Shankaregowda<br>05 May 2026 at 11:00 AM | Passed      |




|   |   |         |                  |                |
|---|---|---------|------------------|----------------|
|  | Project                                   | SPORIFY | Document Type    | OQ Script      |
|   |   |         | Document Version | 1.0            |
| Document Name   | AG_SPOR_2026.1.0.0_OQ_Products_Comparison |         | Page             | Page 30 of 118 |


| Step No | Procedure Steps   | Test Data | Expected Results | Actual Results | Test Status |
|---------|---|-----------|------------------|----------------|-------------|
|         |  |           |                  |                |             |

|   |   |         |                  |                |
|---|---|---------|------------------|----------------|
|  | Project                                   | SPORIFY | Document Type    | OQ Script      |
|   |   |         | Document Version | 1.0            |
| Document Name   | AG_SPOR_2026.1.0.0_OQ_Products_Comparison |         | Page             | Page 31 of 118 |

| Step No | Procedure Steps  | Test Data                               | Expected Results | Actual Results | Test Status    |                 |                      |                        |        |        |               |          |                 |  |  |                                   |            |  |  |  |             |   |                                      |   |           |               |                |                 |             |  |                                   |             |            |  |  |  |             |
|---------|--|---|------------------|----------------|----------------|-----------------|----------------------|------------------------|--------|--------|---------------|----------|-----------------|--|--|-----------------------------------|------------|--|--|--|-------------|---|--------------------------------------|---|-----------|---------------|----------------|-----------------|-------------|--|-----------------------------------|-------------|------------|--|--|--|-------------|
|         |  <p>The screenshot shows the 'Compare Products' page in the SPORIFY application. The page title is 'Compare Products   Compare a Primary and Secondary Product'. There is a search bar with the placeholder 'Search keyword'. Below the search bar is a table with the following data:</p> <table border="1"> <thead> <tr> <th>Actions</th> <th>Primary Product ↑↓ ▾</th> <th>Secondary Product ↑↓ ▾</th> <th>Status</th> <th>Export</th> <th>IDMP Sections</th> <th>Insights</th> <th>Created By ↑↓ ▾</th> </tr> </thead> <tbody> <tr> <td></td> <td>Kivexa 600 mg/300 mg film-coated tablets</td> <td>Tivicay 50 mg film-coated tablets</td> <td>Processing</td> <td></td> <td></td> <td></td> <td>prevaluser4</td> </tr> <tr> <td>⋮</td> <td>Betnovate Scalp Application 0.1% w/w</td> <td>Boostrix Polio, suspensie voor injectie</td> <td>Completed</td> <td>Download icon</td> <td>Bar chart icon</td> <td>Line graph icon</td> <td>prevaluser4</td> </tr> <tr> <td></td> <td>Xospata 40 mg film-coated tablets</td> <td>film-coated</td> <td>Processing</td> <td></td> <td></td> <td></td> <td>prevaluser4</td> </tr> </tbody> </table> <p>At the bottom of the table, there is a pagination control showing 'Total: 3' and a page selector with '1' selected and a dropdown menu set to '50'.</p> |   |                  |                |                | Actions         | Primary Product ↑↓ ▾ | Secondary Product ↑↓ ▾ | Status | Export | IDMP Sections | Insights | Created By ↑↓ ▾ |  | Kivexa 600 mg/300 mg film-coated tablets | Tivicay 50 mg film-coated tablets | Processing |  |  |  | prevaluser4 | ⋮ | Betnovate Scalp Application 0.1% w/w | Boostrix Polio, suspensie voor injectie | Completed | Download icon | Bar chart icon | Line graph icon | prevaluser4 |  | Xospata 40 mg film-coated tablets | film-coated | Processing |  |  |  | prevaluser4 |
| Actions | Primary Product ↑↓ ▾   | Secondary Product ↑↓ ▾                  | Status           | Export         | IDMP Sections  | Insights        | Created By ↑↓ ▾      |                        |        |        |               |          |                 |  |  |                                   |            |  |  |  |             |   |                                      |   |           |               |                |                 |             |  |                                   |             |            |  |  |  |             |
|         | Kivexa 600 mg/300 mg film-coated tablets   | Tivicay 50 mg film-coated tablets       | Processing       |                |                |                 | prevaluser4          |                        |        |        |               |          |                 |  |  |                                   |            |  |  |  |             |   |                                      |   |           |               |                |                 |             |  |                                   |             |            |  |  |  |             |
| ⋮       | Betnovate Scalp Application 0.1% w/w   | Boostrix Polio, suspensie voor injectie | Completed        | Download icon  | Bar chart icon | Line graph icon | prevaluser4          |                        |        |        |               |          |                 |  |  |                                   |            |  |  |  |             |   |                                      |   |           |               |                |                 |             |  |                                   |             |            |  |  |  |             |
|         | Xospata 40 mg film-coated tablets  | film-coated                             | Processing       |                |                |                 | prevaluser4          |                        |        |        |               |          |                 |  |  |                                   |            |  |  |  |             |   |                                      |   |           |               |                |                 |             |  |                                   |             |            |  |  |  |             |

|   |   |         |                  |                |
|---|---|---------|------------------|----------------|
|  | Project                                   | SPORIFY | Document Type    | OQ Script      |
|   |   |         | Document Version | 1.0            |
| Document Name   | AG_SPOR_2026.1.0.0_OQ_Products_Comparison |         | Page             | Page 32 of 118 |


| Step No | Procedure Steps   | Test Data | Expected Results  | Actual Results  | Test Status |
|---------|---|-----------|---|---|-------------|
| Step 9  | Verify the above initiated Compare Product record is displayed on top of the table with Comparison status as 'Processing'. *PS* | NA        | The above initiated Compare Product record is displayed on top of the table with Comparison status as 'Processing'. | AE<br><br>Chandrashekar Naguvanahalli<br>Shankaregowda<br>05 May 2026 at 11:01 AM | Passed      |




The screenshot displays the 'Compare Products' page in the SPORIFY application. The page title is 'Compare Products | Compare a Primary and Secondary Product'. A search bar is present at the top of the table area. The table lists the following products and their comparison status:

| Actions | Primary Product                          | Secondary Product                       | Status     | Export | IDMP Sections | Insights | Created By  |
|---------|--|---|------------|--------|---------------|----------|-------------|
|         | Kivexa 600 mg/300 mg film-coated tablets | Tivicay 50 mg film-coated tablets       | Processing |        |               |          | prevaluser4 |
|         | Betnovate Scalp Application 0.1% w/w     | Boostrix Polio, suspensie voor injectie | Completed  |        |               |          | prevaluser4 |
|         | Xospata 40 mg film-coated tablets        | film-coated                             | Processing |        |               |          | prevaluser4 |

The table also includes a pagination bar at the bottom showing 'Total: 3' and 'Page 1 of 1'.

|   |   |         |                  |                |
|---|---|---------|------------------|----------------|
|  | Project                                   | SPORIFY | Document Type    | OQ Script      |
|   |   |         | Document Version | 1.0            |
| Document Name   | AG_SPOR_2026.1.0.0_OQ_Products_Comparison |         | Page             | Page 33 of 118 |


| Step No | Procedure Steps   | Test Data | Expected Results  | Actual Results   | Test Status |
|---------|---|-----------|---|--|-------------|
| Step 10 | Verify the Screen is auto refreshed to update the status from 'Processing' to 'Completed' once comparison process is completed.<br>*PS* | NA        | Screen is auto refreshed to update the status from 'Processing' to 'Completed'. | AE<br><br>Chandrashekar<br>Naguvanahalli<br>Shankaregowda<br>05 May 2026 at 11:02 AM | Passed      |





The screenshot displays the SPORIFY web application interface. The main content area shows a 'Compare Products' section with a table listing product comparisons. The table has the following data:

| Actions | Primary Product                          | Secondary Product                       | Status     | Export        | IDMP Sections  | Insights        | Created By  |
|---------|--|---|------------|---------------|----------------|-----------------|-------------|
| ⋮       | Kivexa 800 mg/300 mg film-coated tablets | Tivicay 50 mg film-coated tablets       | Completed  | Download icon | Bar chart icon | Line chart icon | prevaluser4 |
| ⋮       | Betnovate Scalp Application 0.1% w/w     | Boostrix Polio, suspensie voor injectie | Completed  | Download icon | Bar chart icon | Line chart icon | prevaluser4 |
| ⋮       | Xospata 40 mg film-coated tablets        | film-coated                             | Processing |               |                |                 | prevaluser4 |


A green notification bar at the bottom right of the application area displays the text 'Comparison Complete'.


|   |   |         |                  |                |
|---|---|---------|------------------|----------------|
|  | Project                                   | SPORIFY | Document Type    | OQ Script      |
|   |   |         | Document Version | 1.0            |
| Document Name   | AG_SPOR_2026.1.0.0_OQ_Products_Comparison |         | Page             | Page 34 of 118 |


| Step No                | Procedure Steps  | Test Data  | Expected Results | Actual Results   | Test Status |                   |        |        |               |          |            |            |                   |                                   |           |                 |                  |             |             |                        |   |           |                 |                  |             |             |            |             |            |                 |                  |             |             |
|------------------------|--|------------|------------------|------------------|-------------|-------------------|--------|--------|---------------|----------|------------|------------|-------------------|-----------------------------------|-----------|-----------------|------------------|-------------|-------------|------------------------|---|-----------|-----------------|------------------|-------------|-------------|------------|-------------|------------|-----------------|------------------|-------------|-------------|
|                        |  <p>The screenshot displays the 'Compare Products' page in the SPORIFY application. The page title is 'Compare Products   Compare a Primary and Secondary Product'. A search bar is present at the top. Below it is a table with the following data:</p> <table border="1"> <thead> <tr> <th>Secondary Product</th> <th>Status</th> <th>Export</th> <th>IDMP Sections</th> <th>Insights</th> <th>Created By</th> <th>Created On</th> </tr> </thead> <tbody> <tr> <td>im-coated tablets</td> <td>Tivicay 50 mg film-coated tablets</td> <td>Completed</td> <td>[Download icon]</td> <td>[Bar chart icon]</td> <td>prevaluser4</td> <td>May 5, 2026</td> </tr> <tr> <td>ion 0.1% w/w Cutaneous</td> <td>Boostrix Polio, suspensie voor injectie</td> <td>Completed</td> <td>[Download icon]</td> <td>[Bar chart icon]</td> <td>prevaluser4</td> <td>May 5, 2026</td> </tr> <tr> <td>od tablets</td> <td>film-coated</td> <td>Processing</td> <td>[Download icon]</td> <td>[Bar chart icon]</td> <td>prevaluser4</td> <td>May 5, 2026</td> </tr> </tbody> </table> <p>At the bottom of the table, there is a pagination control showing 'Total: 3' and a page selector set to '1' out of '50'.</p> |            |                  |                  |             | Secondary Product | Status | Export | IDMP Sections | Insights | Created By | Created On | im-coated tablets | Tivicay 50 mg film-coated tablets | Completed | [Download icon] | [Bar chart icon] | prevaluser4 | May 5, 2026 | ion 0.1% w/w Cutaneous | Boostrix Polio, suspensie voor injectie | Completed | [Download icon] | [Bar chart icon] | prevaluser4 | May 5, 2026 | od tablets | film-coated | Processing | [Download icon] | [Bar chart icon] | prevaluser4 | May 5, 2026 |
| Secondary Product      | Status   | Export     | IDMP Sections    | Insights         | Created By  | Created On        |        |        |               |          |            |            |                   |                                   |           |                 |                  |             |             |                        |   |           |                 |                  |             |             |            |             |            |                 |                  |             |             |
| im-coated tablets      | Tivicay 50 mg film-coated tablets  | Completed  | [Download icon]  | [Bar chart icon] | prevaluser4 | May 5, 2026       |        |        |               |          |            |            |                   |                                   |           |                 |                  |             |             |                        |   |           |                 |                  |             |             |            |             |            |                 |                  |             |             |
| ion 0.1% w/w Cutaneous | Boostrix Polio, suspensie voor injectie  | Completed  | [Download icon]  | [Bar chart icon] | prevaluser4 | May 5, 2026       |        |        |               |          |            |            |                   |                                   |           |                 |                  |             |             |                        |   |           |                 |                  |             |             |            |             |            |                 |                  |             |             |
| od tablets             | film-coated  | Processing | [Download icon]  | [Bar chart icon] | prevaluser4 | May 5, 2026       |        |        |               |          |            |            |                   |                                   |           |                 |                  |             |             |                        |   |           |                 |                  |             |             |            |             |            |                 |                  |             |             |

|   |   |         |                         |                |
|---|---|---------|-------------------------|----------------|
|  | <b>Project</b>                            | SPORIFY | <b>Document Type</b>    | OQ Script      |
|   |   |         | <b>Document Version</b> | 1.0            |
| <b>Document Name</b>  | AG_SPOR_2026.1.0.0_OQ_Products_Comparison |         | <b>Page</b>             | Page 35 of 118 |


| Step No | Procedure Steps   | Test Data  | Expected Results   | Actual Results   | Test Status |
|---------|---|------------|--|--|-------------|
| Step 11 | Enter the data in the Search field as mentioned in test data column and press [Enter] key. *PS* | <product1> | Compare products record satisfying the search criteria is displayed and highlighted in yellow. | Kivexa 600 mg/300 mg film-coated tablets<br><br>AE<br><br>Chandrashekar<br>Naguvanahalli<br>Shankaregowda<br>05 May 2026 at 11:05 AM | Passed      |

|   |   |         |                  |                |
|---|---|---------|------------------|----------------|
|  | Project                                   | SPORIFY | Document Type    | OQ Script      |
|   |   |         | Document Version | 1.0            |
| Document Name   | AG_SPOR_2026.1.0.0_OQ_Products_Comparison |         | Page             | Page 36 of 118 |

| Step No | Procedure Steps   | Test Data                         | Expected Results | Actual Results | Test Status        |                |                      |                        |        |        |               |          |           |   |  |                                   |           |               |                    |                |     |
|---------|---|-----------------------------------|------------------|----------------|--------------------|----------------|----------------------|------------------------|--------|--------|---------------|----------|-----------|---|--|-----------------------------------|-----------|---------------|--------------------|----------------|-----|
|         |  <p>The screenshot displays the SPORIFY web application interface. The browser address bar shows the URL: <a href="https://sporify-preval.sporify.eu/app/main/products/compare-products?search=Kivexa%20600%20mg%2F300%20mg%20film-coated%20">https://sporify-preval.sporify.eu/app/main/products/compare-products?search=Kivexa%20600%20mg%2F300%20mg%20film-coated%20</a>. The user is logged in as AGSAN\prevaluser4. The main content area shows a 'Compare Products' section with a search bar containing 'Kivexa 600 mg/300 mg film-coated tablets'. Below the search bar is a table with the following data:</p> <table border="1"> <thead> <tr> <th>Actions</th> <th>Primary Product ↑↓ ▾</th> <th>Secondary Product ↑↓ ▾</th> <th>Status</th> <th>Export</th> <th>IDMP Sections</th> <th>Insights</th> <th>Created I</th> </tr> </thead> <tbody> <tr> <td>⋮</td> <td>Kivexa 600 mg/300 mg film-coated tablets</td> <td>Tivicay 50 mg film-coated tablets</td> <td>Completed</td> <td>Download icon</td> <td>Colorful bar chart</td> <td>Bar chart icon</td> <td>pre</td> </tr> </tbody> </table> <p>At the bottom of the table, there is a pagination control showing 'Total: 1' and a dropdown menu set to '50'.</p> |                                   |                  |                |                    | Actions        | Primary Product ↑↓ ▾ | Secondary Product ↑↓ ▾ | Status | Export | IDMP Sections | Insights | Created I | ⋮ | Kivexa 600 mg/300 mg film-coated tablets | Tivicay 50 mg film-coated tablets | Completed | Download icon | Colorful bar chart | Bar chart icon | pre |
| Actions | Primary Product ↑↓ ▾  | Secondary Product ↑↓ ▾            | Status           | Export         | IDMP Sections      | Insights       | Created I            |                        |        |        |               |          |           |   |  |                                   |           |               |                    |                |     |
| ⋮       | Kivexa 600 mg/300 mg film-coated tablets  | Tivicay 50 mg film-coated tablets | Completed        | Download icon  | Colorful bar chart | Bar chart icon | pre                  |                        |        |        |               |          |           |   |  |                                   |           |               |                    |                |     |

|   |   |         |                  |                |
|---|---|---------|------------------|----------------|
|  | Project                                   | SPORIFY | Document Type    | OQ Script      |
|   |   |         | Document Version | 1.0            |
| Document Name   | AG_SPOR_2026.1.0.0_OQ_Products_Comparison |         | Page             | Page 37 of 118 |

| Step No | Procedure Steps  | Test Data | Expected Results  | Actual Results   | Test Status |
|---------|--|-----------|---|--|-------------|
| Step 12 | Verify IDMP Sections Details are displayed after the status is changed to Completed.<br>*PS* | NA        | IDMP Sections Details are displayed after the status is changed to Completed. | AE<br><br>Chandrashekar<br>Naguvanahalli<br>Shankaregowda<br>05 May 2026 at 11:07 AM | Passed      |




The screenshot displays the SPORIFY web application interface. The browser address bar shows the URL: <https://sporify-preval.sporify.eu/app/main/products/compare-products?search=Kivexa%20600%20mg%2F300%20mg%20film-coated%20>. The user is logged in as AGSAN\prevaluser4.


The main content area is titled "Compare Products" and includes a search bar with the text "Kivexa 600 mg/300 mg film-coated tablets". Below the search bar is a table with the following data:

| Actions | Primary Product ↑↓ ▾                     | Secondary Product ↑↓ ▾            | Status    | Export        | IDMP Sections         | Insights      |
|---------|--|-----------------------------------|-----------|---------------|-----------------------|---------------|
| ⋮       | Kivexa 600 mg/300 mg film-coated tablets | Tivicoy 50 mg film-coated tablets | Completed | Download icon | Color-coded bar chart | Insights icon |


At the bottom of the table, it indicates "Total: 1" and a pagination control showing "1" of 50 items.

|   |   |         |                  |                |
|---|---|---------|------------------|----------------|
|  | Project                                   | SPORIFY | Document Type    | OQ Script      |
|   |   |         | Document Version | 1.0            |
| Document Name   | AG_SPOR_2026.1.0.0_OQ_Products_Comparison |         | Page             | Page 38 of 118 |

| Step No | Procedure Steps   | Test Data   | Expected Results  | Actual Results  | Test Status |
|---------|---|---|---|---|-------------|
| Step 13 | FR_PROD_COMP_013:<br>Hover on the IDMP Sections for each segment to see section-level comparison details and counts. *PS* | <Section: Medicinal Products & Attachments<br>Missing: 10<br>Differences: 1<br>No Inconsistencies: 2> | Different IDMP sections and it respective counts are displayed. | Section: Medicinal Products & Attachments<br>Missing: 20<br>Differences: 1<br>No Inconsistencies: 21<br><br>Section: Marketing Authorisation<br>Missing: 22<br><br>Section: Clinical Particulars<br>No Inconsistencies: 3<br><br>Section: Ingredient<br>No Inconsistencies: 26<br><br>Section:Pharmaceutical Product<br>No Inconsistencies: 7<br><br>Section:Packaged Medicinal Product<br>No Inconsistencies: 19<br><br>AE | Passed      |

|   |   |         |                  |                |
|---|---|---------|------------------|----------------|
|  | Project                                   | SPORIFY | Document Type    | OQ Script      |
|   |   |         | Document Version | 1.0            |
| Document Name   | AG_SPOR_2026.1.0.0_OQ_Products_Comparison |         | Page             | Page 39 of 118 |

| Step No | Procedure Steps | Test Data | Expected Results | Actual Results   | Test Status |
|---------|-----------------|-----------|------------------|--|-------------|
|         |                 |           |                  | Chandrashekar<br>Naguvanahalli<br>Shankaregowda<br>05 May 2026 at 11:24 AM |             |





The screenshot displays the SPORIFY web application interface. The browser address bar shows the URL: <https://sporify-preval.sporify.eu/app/main/products/compare-products?search=Kivexa%20600%20mg%20film-coated%20tablets>. The user is logged in as AGSAN\prevaluser4.


The main content area is titled "Compare Products" and includes a search bar with the text "Kivexa 600 mg/300 mg film-coated tablets". Below the search bar is a table with the following data:


| Actions | Primary Product                          | Secondary Product                 | Status    | Export | IDMP Sections                 | Insights |
|---------|--|-----------------------------------|-----------|--------|-------------------------------|----------|
|         | Kivexa 600 mg/300 mg film-coated tablets | Tivicay 50 mg film-coated tablets | Completed |        | Medical Product & Attachments |          |


The table indicates that the comparison is completed. The interface also shows a sidebar with navigation options like "Products", "Overview", "Source Lists", "Target Products", "Compare Products", "User Guides", and "Policies". The bottom of the screenshot shows the Windows taskbar with the date and time as 11:10 AM on 5/5/2026.


|   |   |         |                  |                |
|---|---|---------|------------------|----------------|
|  | Project                                   | SPORIFY | Document Type    | OQ Script      |
|   |   |         | Document Version | 1.0            |
| Document Name   | AG_SPOR_2026.1.0.0_OQ_Products_Comparison |         | Page             | Page 40 of 118 |


| Step No | Procedure Steps   | Test Data                         | Expected Results | Actual Results | Test Status   |         |                      |                        |        |        |               |   |  |                                   |           |               |             |
|---------|---|-----------------------------------|------------------|----------------|---------------|---------|----------------------|------------------------|--------|--------|---------------|---|--|-----------------------------------|-----------|---------------|-------------|
|         |  <p>The screenshot shows the SPORIFY web application interface. The browser address bar displays the URL: <a href="https://sporify-preval.sporify.eu/app/main/products/compare-products?search=Kivexa%20600%20mg%2F300%20mg%20film-coated%20">https://sporify-preval.sporify.eu/app/main/products/compare-products?search=Kivexa%20600%20mg%2F300%20mg%20film-coated%20</a>. The user is logged in as AGSAN\prevaluser4. The main content area shows a 'Compare Products' section with a search bar containing 'Kivexa 600 mg/300 mg film-coated tablets'. Below the search bar is a table with the following data:</p> <table border="1"> <thead> <tr> <th>Actions</th> <th>Primary Product ↑↓ ▾</th> <th>Secondary Product ↑↓ ▾</th> <th>Status</th> <th>Export</th> <th>IDMP Sections</th> </tr> </thead> <tbody> <tr> <td>⋮</td> <td>Kivexa 600 mg/300 mg film-coated tablets</td> <td>Tivicay 50 mg film-coated tablets</td> <td>Completed</td> <td>Download icon</td> <td>Missing: 20</td> </tr> </tbody> </table> <p>The table also shows a pagination bar at the bottom with 'Total: 1' and a dropdown menu set to '50'.</p> |                                   |                  |                |               | Actions | Primary Product ↑↓ ▾ | Secondary Product ↑↓ ▾ | Status | Export | IDMP Sections | ⋮ | Kivexa 600 mg/300 mg film-coated tablets | Tivicay 50 mg film-coated tablets | Completed | Download icon | Missing: 20 |
| Actions | Primary Product ↑↓ ▾  | Secondary Product ↑↓ ▾            | Status           | Export         | IDMP Sections |         |                      |                        |        |        |               |   |  |                                   |           |               |             |
| ⋮       | Kivexa 600 mg/300 mg film-coated tablets  | Tivicay 50 mg film-coated tablets | Completed        | Download icon  | Missing: 20   |         |                      |                        |        |        |               |   |  |                                   |           |               |             |


|   |   |         |                  |                |
|---|---|---------|------------------|----------------|
|  | Project                                   | SPORIFY | Document Type    | OQ Script      |
|   |   |         | Document Version | 1.0            |
| Document Name   | AG_SPOR_2026.1.0.0_OQ_Products_Comparison |         | Page             | Page 41 of 118 |


| Step No | Procedure Steps   | Test Data | Expected Results | Actual Results | Test Status |
|---------|---|-----------|------------------|----------------|-------------|
|         |  |           |                  |                |             |


|   |   |         |                  |                |
|---|---|---------|------------------|----------------|
|  | Project                                   | SPORIFY | Document Type    | OQ Script      |
|   |   |         | Document Version | 1.0            |
| Document Name   | AG_SPOR_2026.1.0.0_OQ_Products_Comparison |         | Page             | Page 42 of 118 |


| Step No | Procedure Steps  | Test Data                         | Expected Results | Actual Results | Test Status            |         |                      |                        |        |        |               |   |  |                                   |           |               |                        |
|---------|--|-----------------------------------|------------------|----------------|------------------------|---------|----------------------|------------------------|--------|--------|---------------|---|--|-----------------------------------|-----------|---------------|------------------------|
|         |  <p>The screenshot displays the SPORIFY 'Compare Products' interface. A search bar at the top contains the text 'Kivexa 600 mg/300 mg film-coated tablets'. Below the search bar is a table with the following data:</p> <table border="1"> <thead> <tr> <th>Actions</th> <th>Primary Product ↑↓ ▾</th> <th>Secondary Product ↑↓ ▾</th> <th>Status</th> <th>Export</th> <th>IDMP Sections</th> </tr> </thead> <tbody> <tr> <td>⋮</td> <td>Kivexa 600 mg/300 mg film-coated tablets</td> <td>Tivicay 50 mg film-coated tablets</td> <td>Completed</td> <td>Download icon</td> <td>No Inconsistencies: 21</td> </tr> </tbody> </table> <p>At the bottom of the table, it indicates 'Total: 1' and a pagination control showing '1' of 50 items.</p> |                                   |                  |                |                        | Actions | Primary Product ↑↓ ▾ | Secondary Product ↑↓ ▾ | Status | Export | IDMP Sections | ⋮ | Kivexa 600 mg/300 mg film-coated tablets | Tivicay 50 mg film-coated tablets | Completed | Download icon | No Inconsistencies: 21 |
| Actions | Primary Product ↑↓ ▾   | Secondary Product ↑↓ ▾            | Status           | Export         | IDMP Sections          |         |                      |                        |        |        |               |   |  |                                   |           |               |                        |
| ⋮       | Kivexa 600 mg/300 mg film-coated tablets   | Tivicay 50 mg film-coated tablets | Completed        | Download icon  | No Inconsistencies: 21 |         |                      |                        |        |        |               |   |  |                                   |           |               |                        |


|   |   |         |                  |                |
|---|---|---------|------------------|----------------|
|  | Project                                   | SPORIFY | Document Type    | OQ Script      |
|   |   |         | Document Version | 1.0            |
| Document Name   | AG_SPOR_2026.1.0.0_OQ_Products_Comparison |         | Page             | Page 43 of 118 |


| Step No | Procedure Steps   | Test Data | Expected Results | Actual Results | Test Status |
|---------|---|-----------|------------------|----------------|-------------|
|         |  |           |                  |                |             |


|   |   |         |                  |                |
|---|---|---------|------------------|----------------|
|  | Project                                   | SPORIFY | Document Type    | OQ Script      |
|   |   |         | Document Version | 1.0            |
| Document Name   | AG_SPOR_2026.1.0.0_OQ_Products_Comparison |         | Page             | Page 44 of 118 |


| Step No | Procedure Steps  | Test Data                         | Expected Results | Actual Results | Test Status   |         |                      |                        |        |        |               |   |  |                                   |           |               |             |
|---------|--|-----------------------------------|------------------|----------------|---------------|---------|----------------------|------------------------|--------|--------|---------------|---|--|-----------------------------------|-----------|---------------|-------------|
|         |  <p>The screenshot shows the SPORIFY web application interface. The main content area displays a 'Compare Products' section with a search bar containing 'Kivexa 600 mg/300 mg film-coated tablets'. Below the search bar is a table with the following data:</p> <table border="1"> <thead> <tr> <th>Actions</th> <th>Primary Product ↑↓ ▾</th> <th>Secondary Product ↑↓ ▾</th> <th>Status</th> <th>Export</th> <th>IDMP Sections</th> </tr> </thead> <tbody> <tr> <td>⋮</td> <td>Kivexa 600 mg/300 mg film-coated tablets</td> <td>Tivicay 50 mg film-coated tablets</td> <td>Completed</td> <td>Download icon</td> <td>Missing: 22</td> </tr> </tbody> </table> <p>At the bottom of the table, there is a pagination control showing 'Total: 1' and a dropdown menu set to '50'.</p> |                                   |                  |                |               | Actions | Primary Product ↑↓ ▾ | Secondary Product ↑↓ ▾ | Status | Export | IDMP Sections | ⋮ | Kivexa 600 mg/300 mg film-coated tablets | Tivicay 50 mg film-coated tablets | Completed | Download icon | Missing: 22 |
| Actions | Primary Product ↑↓ ▾   | Secondary Product ↑↓ ▾            | Status           | Export         | IDMP Sections |         |                      |                        |        |        |               |   |  |                                   |           |               |             |
| ⋮       | Kivexa 600 mg/300 mg film-coated tablets   | Tivicay 50 mg film-coated tablets | Completed        | Download icon  | Missing: 22   |         |                      |                        |        |        |               |   |  |                                   |           |               |             |


|   |   |         |                  |                |
|---|---|---------|------------------|----------------|
|  | Project                                   | SPORIFY | Document Type    | OQ Script      |
|   |   |         | Document Version | 1.0            |
| Document Name   | AG_SPOR_2026.1.0.0_OQ_Products_Comparison |         | Page             | Page 45 of 118 |


| Step No | Procedure Steps   | Test Data | Expected Results | Actual Results | Test Status |
|---------|---|-----------|------------------|----------------|-------------|
|         |  |           |                  |                |             |


|   |   |         |                  |                |
|---|---|---------|------------------|----------------|
|  | Project                                   | SPORIFY | Document Type    | OQ Script      |
|   |   |         | Document Version | 1.0            |
| Document Name   | AG_SPOR_2026.1.0.0_OQ_Products_Comparison |         | Page             | Page 46 of 118 |


| Step No | Procedure Steps  | Test Data                         | Expected Results | Actual Results | Test Status           |         |                      |                        |        |        |               |   |  |                                   |           |          |                       |
|---------|--|-----------------------------------|------------------|----------------|-----------------------|---------|----------------------|------------------------|--------|--------|---------------|---|--|-----------------------------------|-----------|----------|-----------------------|
|         |  <p>The screenshot displays the SPORIFY 'Compare Products' interface. The search bar contains 'Kivexa 600 mg/300 mg film-coated tablets'. The table below shows a comparison between 'Kivexa 600 mg/300 mg film-coated tablets' (Primary Product) and 'Tivicay 50 mg film-coated tablets' (Secondary Product). The status is 'Completed'. A notification indicates 'No Inconsistencies: 3'.</p> <table border="1"> <thead> <tr> <th>Actions</th> <th>Primary Product ↑↓ ▾</th> <th>Secondary Product ↑↓ ▾</th> <th>Status</th> <th>Export</th> <th>IDMP Sections</th> </tr> </thead> <tbody> <tr> <td>⋮</td> <td>Kivexa 600 mg/300 mg film-coated tablets</td> <td>Tivicay 50 mg film-coated tablets</td> <td>Completed</td> <td>Download</td> <td>No Inconsistencies: 3</td> </tr> </tbody> </table> |                                   |                  |                |                       | Actions | Primary Product ↑↓ ▾ | Secondary Product ↑↓ ▾ | Status | Export | IDMP Sections | ⋮ | Kivexa 600 mg/300 mg film-coated tablets | Tivicay 50 mg film-coated tablets | Completed | Download | No Inconsistencies: 3 |
| Actions | Primary Product ↑↓ ▾   | Secondary Product ↑↓ ▾            | Status           | Export         | IDMP Sections         |         |                      |                        |        |        |               |   |  |                                   |           |          |                       |
| ⋮       | Kivexa 600 mg/300 mg film-coated tablets   | Tivicay 50 mg film-coated tablets | Completed        | Download       | No Inconsistencies: 3 |         |                      |                        |        |        |               |   |  |                                   |           |          |                       |


|   |   |         |                  |                |
|---|---|---------|------------------|----------------|
|  | Project                                   | SPORIFY | Document Type    | OQ Script      |
|   |   |         | Document Version | 1.0            |
| Document Name   | AG_SPOR_2026.1.0.0_OQ_Products_Comparison |         | Page             | Page 47 of 118 |


| Step No | Procedure Steps  | Test Data                         | Expected Results | Actual Results | Test Status  |         |                      |                        |        |        |               |   |  |                                   |           |               |  |
|---------|--|-----------------------------------|------------------|----------------|--|---------|----------------------|------------------------|--------|--------|---------------|---|--|-----------------------------------|-----------|---------------|--|
|         |  <p>The screenshot displays the SPORIFY web application interface. The browser address bar shows the URL: <a href="https://sporify-preval.sporify.eu/app/main/products/compare-products?search=Kivexa%20600%20mg%2F300%20mg%20film-coated%20">https://sporify-preval.sporify.eu/app/main/products/compare-products?search=Kivexa%20600%20mg%2F300%20mg%20film-coated%20</a>. The user is logged in as AGSAN\prevaluser4. The main content area shows a 'Compare Products' section with a search bar containing 'Kivexa 600 mg/300 mg film-coated tablets'. Below the search bar is a table with the following data:</p> <table border="1"> <thead> <tr> <th>Actions</th> <th>Primary Product ↑↓ ▾</th> <th>Secondary Product ↑↓ ▾</th> <th>Status</th> <th>Export</th> <th>IDMP Sections</th> </tr> </thead> <tbody> <tr> <td>⋮</td> <td>Kivexa 600 mg/300 mg film-coated tablets</td> <td>Tivicay 50 mg film-coated tablets</td> <td>Completed</td> <td>Download icon</td> <td>Color-coded bars (red, green, yellow, purple) and 'Ingredient' label</td> </tr> </tbody> </table> <p>At the bottom of the table, it indicates 'Total: 1' and a page number '1' out of 50. The system tray at the bottom shows a temperature of 30°C, 'Mostly sunny', and the date/time '11:19 AM 5/5/2026'.</p> |                                   |                  |                |  | Actions | Primary Product ↑↓ ▾ | Secondary Product ↑↓ ▾ | Status | Export | IDMP Sections | ⋮ | Kivexa 600 mg/300 mg film-coated tablets | Tivicay 50 mg film-coated tablets | Completed | Download icon | Color-coded bars (red, green, yellow, purple) and 'Ingredient' label |
| Actions | Primary Product ↑↓ ▾   | Secondary Product ↑↓ ▾            | Status           | Export         | IDMP Sections  |         |                      |                        |        |        |               |   |  |                                   |           |               |  |
| ⋮       | Kivexa 600 mg/300 mg film-coated tablets   | Tivicay 50 mg film-coated tablets | Completed        | Download icon  | Color-coded bars (red, green, yellow, purple) and 'Ingredient' label |         |                      |                        |        |        |               |   |  |                                   |           |               |  |


|   |   |         |                  |                |
|---|---|---------|------------------|----------------|
|  | Project                                   | SPORIFY | Document Type    | OQ Script      |
|   |   |         | Document Version | 1.0            |
| Document Name   | AG_SPOR_2026.1.0.0_OQ_Products_Comparison |         | Page             | Page 48 of 118 |


| Step No | Procedure Steps   | Test Data | Expected Results | Actual Results | Test Status |
|---------|---|-----------|------------------|----------------|-------------|
|         |  |           |                  |                |             |


|   |   |         |                  |                |
|---|---|---------|------------------|----------------|
|  | Project                                   | SPORIFY | Document Type    | OQ Script      |
|   |   |         | Document Version | 1.0            |
| Document Name   | AG_SPOR_2026.1.0.0_OQ_Products_Comparison |         | Page             | Page 49 of 118 |


| Step No | Procedure Steps  | Test Data                         | Expected Results | Actual Results | Test Status            |         |                      |                        |        |        |               |   |  |                                   |           |               |                        |
|---------|--|-----------------------------------|------------------|----------------|------------------------|---------|----------------------|------------------------|--------|--------|---------------|---|--|-----------------------------------|-----------|---------------|------------------------|
|         |  <p>The screenshot displays the SPORIFY web application interface. The browser address bar shows the URL: https://sporify-preval.sporify.eu/app/main/products/compare-products?search=Kivexa%20600%20mg%2F300%20mg%20film-coated%20... The user is logged in as AGSAN\prevaluser4. The main content area is titled 'Compare Products' and contains a search bar with the text 'Kivexa 600 mg/300 mg film-coated tablets'. Below the search bar is a table with the following data:</p> <table border="1"> <thead> <tr> <th>Actions</th> <th>Primary Product ↑↓ ▾</th> <th>Secondary Product ↑↓ ▾</th> <th>Status</th> <th>Export</th> <th>IDMP Sections</th> </tr> </thead> <tbody> <tr> <td>⋮</td> <td>Kivexa 600 mg/300 mg film-coated tablets</td> <td>Tivicay 50 mg film-coated tablets</td> <td>Completed</td> <td>Download icon</td> <td>Pharmaceutical Product</td> </tr> </tbody> </table> <p>At the bottom of the table, there is a pagination control showing 'Total: 1' and a dropdown menu set to '50'.</p> |                                   |                  |                |                        | Actions | Primary Product ↑↓ ▾ | Secondary Product ↑↓ ▾ | Status | Export | IDMP Sections | ⋮ | Kivexa 600 mg/300 mg film-coated tablets | Tivicay 50 mg film-coated tablets | Completed | Download icon | Pharmaceutical Product |
| Actions | Primary Product ↑↓ ▾   | Secondary Product ↑↓ ▾            | Status           | Export         | IDMP Sections          |         |                      |                        |        |        |               |   |  |                                   |           |               |                        |
| ⋮       | Kivexa 600 mg/300 mg film-coated tablets   | Tivicay 50 mg film-coated tablets | Completed        | Download icon  | Pharmaceutical Product |         |                      |                        |        |        |               |   |  |                                   |           |               |                        |


|   |   |         |                  |                |
|---|---|---------|------------------|----------------|
|  | Project                                   | SPORIFY | Document Type    | OQ Script      |
|   |   |         | Document Version | 1.0            |
| Document Name   | AG_SPOR_2026.1.0.0_OQ_Products_Comparison |         | Page             | Page 50 of 118 |


| Step No | Procedure Steps   | Test Data | Expected Results | Actual Results | Test Status |
|---------|---|-----------|------------------|----------------|-------------|
|         |  |           |                  |                |             |

|   |   |         |                  |                |
|---|---|---------|------------------|----------------|
|  | Project                                   | SPORIFY | Document Type    | OQ Script      |
|   |   |         | Document Version | 1.0            |
| Document Name   | AG_SPOR_2026.1.0.0_OQ_Products_Comparison |         | Page             | Page 51 of 118 |


| Step No | Procedure Steps   | Test Data                         | Expected Results | Actual Results | Test Status  |         |                      |                        |        |        |               |   |  |                                   |           |               |  |
|---------|---|-----------------------------------|------------------|----------------|--|---------|----------------------|------------------------|--------|--------|---------------|---|--|-----------------------------------|-----------|---------------|--|
|         |  <p>The screenshot displays the SPORIFY web application interface. The browser address bar shows the URL: https://sporify-preval.sporify.eu/app/main/products/compare-products?search=Kivexa%20600%20mg%2F300%20mg%20film-coated%20... The user is logged in as AGSAN\prevaluser4. The main content area is titled 'Compare Products' and contains a search bar with the text 'Kivexa 600 mg/300 mg film-coated tablets'. Below the search bar is a table with the following data:</p> <table border="1"> <thead> <tr> <th>Actions</th> <th>Primary Product ↑↓ ▾</th> <th>Secondary Product ↑↓ ▾</th> <th>Status</th> <th>Export</th> <th>IDMP Sections</th> </tr> </thead> <tbody> <tr> <td>⋮</td> <td>Kivexa 600 mg/300 mg film-coated tablets</td> <td>Tivicay 50 mg film-coated tablets</td> <td>Completed</td> <td>Download icon</td> <td> <div style="display: flex; justify-content: space-between;"> <div style="width: 100px; height: 10px; background-color: red;"></div> <div style="width: 100px; height: 10px; background-color: green;"></div> </div>           Packaged Medicinal Product         </td> </tr> </tbody> </table> <p>At the bottom of the table, it indicates 'Total: 1' and a page navigation control showing '1' of 50 items.</p> |                                   |                  |                |  | Actions | Primary Product ↑↓ ▾ | Secondary Product ↑↓ ▾ | Status | Export | IDMP Sections | ⋮ | Kivexa 600 mg/300 mg film-coated tablets | Tivicay 50 mg film-coated tablets | Completed | Download icon | <div style="display: flex; justify-content: space-between;"> <div style="width: 100px; height: 10px; background-color: red;"></div> <div style="width: 100px; height: 10px; background-color: green;"></div> </div> Packaged Medicinal Product |
| Actions | Primary Product ↑↓ ▾  | Secondary Product ↑↓ ▾            | Status           | Export         | IDMP Sections  |         |                      |                        |        |        |               |   |  |                                   |           |               |  |
| ⋮       | Kivexa 600 mg/300 mg film-coated tablets  | Tivicay 50 mg film-coated tablets | Completed        | Download icon  | <div style="display: flex; justify-content: space-between;"> <div style="width: 100px; height: 10px; background-color: red;"></div> <div style="width: 100px; height: 10px; background-color: green;"></div> </div> Packaged Medicinal Product |         |                      |                        |        |        |               |   |  |                                   |           |               |  |

|   |   |         |                  |                |
|---|---|---------|------------------|----------------|
|  | Project                                   | SPORIFY | Document Type    | OQ Script      |
|   |   |         | Document Version | 1.0            |
| Document Name   | AG_SPOR_2026.1.0.0_OQ_Products_Comparison |         | Page             | Page 52 of 118 |


| Step No | Procedure Steps   | Test Data                         | Expected Results | Actual Results | Test Status            |         |                      |                        |        |        |               |   |  |                                   |           |               |                        |
|---------|---|-----------------------------------|------------------|----------------|------------------------|---------|----------------------|------------------------|--------|--------|---------------|---|--|-----------------------------------|-----------|---------------|------------------------|
|         |  <p>The screenshot displays the SPORIFY 'Compare Products' interface. The search bar is populated with 'Kivexa 600 mg/300 mg film-coated tablets'. Below the search bar, a table lists the comparison results:</p> <table border="1"> <thead> <tr> <th>Actions</th> <th>Primary Product ↑↓ ▾</th> <th>Secondary Product ↑↓ ▾</th> <th>Status</th> <th>Export</th> <th>IDMP Sections</th> </tr> </thead> <tbody> <tr> <td>⋮</td> <td>Kivexa 600 mg/300 mg film-coated tablets</td> <td>Tivicay 50 mg film-coated tablets</td> <td>Completed</td> <td>Download icon</td> <td>No Inconsistencies: 19</td> </tr> </tbody> </table> <p>At the bottom of the table, it indicates 'Total: 1' and a page size of '50'.</p> |                                   |                  |                |                        | Actions | Primary Product ↑↓ ▾ | Secondary Product ↑↓ ▾ | Status | Export | IDMP Sections | ⋮ | Kivexa 600 mg/300 mg film-coated tablets | Tivicay 50 mg film-coated tablets | Completed | Download icon | No Inconsistencies: 19 |
| Actions | Primary Product ↑↓ ▾  | Secondary Product ↑↓ ▾            | Status           | Export         | IDMP Sections          |         |                      |                        |        |        |               |   |  |                                   |           |               |                        |
| ⋮       | Kivexa 600 mg/300 mg film-coated tablets  | Tivicay 50 mg film-coated tablets | Completed        | Download icon  | No Inconsistencies: 19 |         |                      |                        |        |        |               |   |  |                                   |           |               |                        |


|   |   |         |                  |                |
|---|---|---------|------------------|----------------|
|  | Project                                   | SPORIFY | Document Type    | OQ Script      |
|   |   |         | Document Version | 1.0            |
| Document Name   | AG_SPOR_2026.1.0.0_OQ_Products_Comparison |         | Page             | Page 53 of 118 |


| Step No | Procedure Steps                                | Test Data | Expected Results  | Actual Results   | Test Status |
|---------|--|-----------|---|--|-------------|
| Step 14 | Click on the Insights icon and verify.<br>*PS* | NA        | Data Quality Insights Pop up is displayed and all IDMP Sections details with comparison counts are displayed. | AE<br><br>Chandrashekar<br>Naguvanahalli<br>Shankaregowda<br>05 May 2026 at 11:27 AM | Passed      |





The screenshot displays the SPORIFY web application interface. The browser address bar shows the URL: <https://sporify-preval.sporify.eu/app/main/products/compare-products?search=Kivexa%20600%20mg%20film-coated%20tablets>. The application header includes the SPORIFY logo and the user profile 'AGSAN | prevaluser4'. The main content area is titled 'Compare Products' and contains a search bar with the text 'Kivexa 600 mg/300 mg film-coated tablets'. Below the search bar is a table with the following columns: Secondary Product, Status, Export, IDMP Sections, Insights, Created By, and Created On. The table contains one row: 'Tivicay 50 mg film-coated tablets', 'Completed', a download icon, a bar chart icon, a bar chart icon, 'prevaluser4', and 'May 5, 2026'. A 'Data Quality Insights' popup is visible over the table. The bottom of the screenshot shows the Windows taskbar with the date and time '11:26 AM 5/5/2026'.

|   |   |         |                  |                |
|---|---|---------|------------------|----------------|
|  | Project                                   | SPORIFY | Document Type    | OQ Script      |
|   |   |         | Document Version | 1.0            |
| Document Name   | AG_SPOR_2026.1.0.0_OQ_Products_Comparison |         | Page             | Page 54 of 118 |


| Step No | Procedure Steps   | Test Data | Expected Results | Actual Results | Test Status |
|---------|---|-----------|------------------|----------------|-------------|
|         |  |           |                  |                |             |

|   |   |         |                  |                |
|---|---|---------|------------------|----------------|
|  | Project                                   | SPORIFY | Document Type    | OQ Script      |
|   |   |         | Document Version | 1.0            |
| Document Name   | AG_SPOR_2026.1.0.0_OQ_Products_Comparison |         | Page             | Page 55 of 118 |

| Step No | Procedure Steps   | Test Data | Expected Results | Actual Results | Test Status |
|---------|---|-----------|------------------|----------------|-------------|
|         |  |           |                  |                |             |

|   |   |         |                  |                |
|---|---|---------|------------------|----------------|
|  | Project                                   | SPORIFY | Document Type    | OQ Script      |
|   |   |         | Document Version | 1.0            |
| Document Name   | AG_SPOR_2026.1.0.0_OQ_Products_Comparison |         | Page             | Page 56 of 118 |


| Step No | Procedure Steps                        | Test Data | Expected Results                       | Actual Results   | Test Status |
|---------|--|-----------|--|--|-------------|
| Step 15 | Close the Data Quality Insights Popup. | NA        | Data Quality Insights popup is closed. | AE<br><br>Chandrashekar<br>Naguvanahalli<br>Shankaregowda<br>05 May 2026 at 11:28 AM | Passed      |





The screenshot displays the SPORIFY web application interface. A 'Data Quality Insights' popup is open, showing a summary of data quality issues across five categories:

- Medicinal Product & Attachments:** Missing (20), Differences (1), No Inconsistencies (21)
- Marketing Authorisation:** Missing (22), Differences (0), No Inconsistencies (0)
- Clinical Particulars:** Missing (0), Differences (0), No Inconsistencies (3)
- Ingredient:** Missing (0), Differences (0), No Inconsistencies (26)
- Pharmaceutical Product:** Missing (0), Differences (0), No Inconsistencies (7)


The background interface shows the 'Compare Products' section with a search for 'Kivexa 600 mg/300 mg film-coated tablets'. The user 'AGSAN | prevaluser4' is logged in, and the page was created on May 5, 2026. The system tray at the bottom indicates a temperature of 30°C and a date of 5/5/2026.

|   |   |         |                  |                |
|---|---|---------|------------------|----------------|
|  | Project                                   | SPORIFY | Document Type    | OQ Script      |
|   |   |         | Document Version | 1.0            |
| Document Name   | AG_SPOR_2026.1.0.0_OQ_Products_Comparison |         | Page             | Page 57 of 118 |

| Step No | Procedure Steps   | Test Data | Expected Results | Actual Results | Test Status |
|---------|---|-----------|------------------|----------------|-------------|
|         |  <p>The screenshot shows the SPORIFY web interface. The search bar contains 'Kivexa 600 mg/300 mg film-coated tablets'. The table below shows a comparison result for 'Tivicay 50 mg film-coated tablets' with a status of 'Completed'. The table has columns for Secondary Product, Status, Export, IDMP Sections, Insights, Created By, and Created On. The IDMP Sections column shows a bar chart with green and red segments. The Created By column shows 'prevaluser4' and the Created On column shows 'May 5, 2026'.</p> |           |                  |                |             |

|   |   |         |                  |                |
|---|---|---------|------------------|----------------|
|  | Project                                   | SPORIFY | Document Type    | OQ Script      |
|   |   |         | Document Version | 1.0            |
| Document Name   | AG_SPOR_2026.1.0.0_OQ_Products_Comparison |         | Page             | Page 58 of 118 |


| Step No | Procedure Steps  | Test Data | Expected Results                        | Actual Results  | Test Status |
|---------|--|-----------|---|---|-------------|
| Step 16 | Click on the Export Comparison Report button and verify.<br>*PS* | NA        | Comparison Report is Exported to Excel. | AE<br><br>Chandrashekar Naguvanahalli<br>Shankaregowda<br>05 May 2026 at 11:30 AM | Passed      |





The screenshot displays the SPORIFY web application interface. The main content area shows the 'Compare Products' section with a search bar containing 'Kivexa 600 mg/300 mg film-coated tablets'. Below the search bar is a table with the following data:

| Secondary Product                 | Status    | Export          | IDMP Sections        | Insights         | Created By  | Created On  |
|-----------------------------------|-----------|-----------------|----------------------|------------------|-------------|-------------|
| Tivicay 50 mg film-coated tablets | Completed | [Download icon] | [Colorful bar chart] | [Bar chart icon] | prevaluser4 | May 5, 2026 |


An 'Export Comparison Report' button is located below the table. The interface also features a sidebar with navigation options and a system tray at the bottom showing the date and time as 11:29 AM on 5/5/2026.

|   |   |         |                  |                |
|---|---|---------|------------------|----------------|
|  | Project                                   | SPORIFY | Document Type    | OQ Script      |
|   |   |         | Document Version | 1.0            |
| Document Name   | AG_SPOR_2026.1.0.0_OQ_Products_Comparison |         | Page             | Page 59 of 118 |

| Step No                           | Procedure Steps  | Test Data       | Expected Results          | Actual Results  | Test Status |                   |        |        |               |          |            |            |                                   |           |                 |                           |                 |             |             |
|-----------------------------------|--|-----------------|---------------------------|-----------------|-------------|-------------------|--------|--------|---------------|----------|------------|------------|-----------------------------------|-----------|-----------------|---------------------------|-----------------|-------------|-------------|
|                                   |  <p>The screenshot displays the SPORIFY web application interface. The main content area shows a 'Compare Products' section with a search bar containing 'Kivexa 600 mg/300 mg film-coated tablets'. Below the search bar is a table with the following data:</p> <table border="1"> <thead> <tr> <th>Secondary Product</th> <th>Status</th> <th>Export</th> <th>IDMP Sections</th> <th>Insights</th> <th>Created By</th> <th>Created On</th> </tr> </thead> <tbody> <tr> <td>Tivicay 50 mg film-coated tablets</td> <td>Completed</td> <td>[Download icon]</td> <td>[IDMP Sections bar chart]</td> <td>[Insights icon]</td> <td>prevaluser4</td> <td>May 5, 2026</td> </tr> </tbody> </table> <p>A green notification box at the bottom right of the interface states 'Comparison Export Successful'. The browser's address bar shows the URL: <a href="https://sporify-preval.sporify.eu/app/main/products/compare-products?search=Kivexa%20600%20mg%2F300%20mg%20film-coat...">https://sporify-preval.sporify.eu/app/main/products/compare-products?search=Kivexa%20600%20mg%2F300%20mg%20film-coat...</a></p> |                 |                           |                 |             | Secondary Product | Status | Export | IDMP Sections | Insights | Created By | Created On | Tivicay 50 mg film-coated tablets | Completed | [Download icon] | [IDMP Sections bar chart] | [Insights icon] | prevaluser4 | May 5, 2026 |
| Secondary Product                 | Status   | Export          | IDMP Sections             | Insights        | Created By  | Created On        |        |        |               |          |            |            |                                   |           |                 |                           |                 |             |             |
| Tivicay 50 mg film-coated tablets | Completed  | [Download icon] | [IDMP Sections bar chart] | [Insights icon] | prevaluser4 | May 5, 2026       |        |        |               |          |            |            |                                   |           |                 |                           |                 |             |             |

|   |   |         |                  |                |
|---|---|---------|------------------|----------------|
|  | Project                                   | SPORIFY | Document Type    | OQ Script      |
|   |   |         | Document Version | 1.0            |
| Document Name   | AG_SPOR_2026.1.0.0_OQ_Products_Comparison |         | Page             | Page 60 of 118 |

| Step No | Procedure Steps   | Test Data | Expected Results   | Actual Results   | Test Status |
|---------|---|-----------|--|--|-------------|
| Step 17 | Open the exported comparison report and verify.<br>*PS* | NA        | Exported comparison report contains details of Primary and Secondary products and the summary of comparison details. | AE<br><br>Chandrashekar<br>Naguvanahalli<br>Shankaregowda<br>05 May 2026 at 11:34 AM | Passed      |




PROTECTED VIEW Be careful—files from the Internet can contain viruses. Unless you need to edit, it's safer to stay in Protected View. Enable Editing


Resource


| Resource          | IG Reference | Element Name                                   | PMS   | RIM   |
|-------------------|--------------|--|---|---|
| Medicinal Product | 1            | Medicinal Product                              |   |   |
|                   | 1.1          | Product Management Service Identifier (PMS ID) | MedicinalProductDefinition/600000000598   | MedicinalProductDefinition/600000000684   |
|                   | 1.3          | Domain   | Human use   | Human use   |
|                   | 1.5          | (Authorised) Pharmaceutical Form               | Powder for concentrate for solution for infusion  | Powder for concentrate for solution for infusion  |
|                   | 1.6          | Combined Pharmaceutical Dose Form              | Powder for concentrate for solution for infusion  | Powder for concentrate for solution for infusion  |
|                   | 1.7          | Legal Status of Supply                         | Medicinal product subject to restricted medical prescription  | Medicinal product subject to restricted medical prescr  |
|                   | 1.8          | Additional Monitoring Indicator                | True  | True  |
|                   | 1.10         | Paediatric Use Indicator                       | False   | False   |
|                   | 1.11         | Full indication text                           | <a href="http://spor.ema.europa.eu/v1/lists/100000072057#100000072147">http://spor.ema.europa.eu/v1/lists/100000072057#100000072147</a> | <a href="http://spor.ema.europa.eu/v1/lists/100000072057#10">http://spor.ema.europa.eu/v1/lists/100000072057#10</a> |
|                   | 1.11.1       | Language                                       | IntegerType[2]  | IntegerType[2]  |
|                   | 1.13         | Product classification                         |   |   |
|                   | 1.13.1       | xEVMPD product type information                | Other   | Other   |
|                   | 1.13.2       | Legal basis                                    | Full application (Article 8(3) of Directive No 2001/83/EC)  | Full application (Article 8(3) of Directive No 2001/83/E  |
|                   | 1.13.3       | ATC code                                       | Missing   | enfortumab vedotin  |
|                   | 1.13.3       | ATC code                                       | L01FX13   | Missing   |
|                   | 1.13.5       | Genetically Modified Organisms (GMOs)          | False   | False   |
|                   | 1.14         | Medicinal product name                         |   |   |
|                   | 1.14.1       | Full name                                      | Tivicay 50 mg film-coated tablets   | Missing   |
|                   | 1.14.2       | Country/Language                               |   |   |
|                   | 1.14.2.1     | Country  | European Union  | Missing   |
|                   | 1.14.2.2     | Language                                       | English   | Missing   |
|                   | 1.14.3       | (Medicinal product name) name part(s)          |   |   |
|                   | 1.14.3.1     | Name part type                                 | Pharmaceutical dose form part   | Missing   |
|                   | 1.14.3.2     | Name part text                                 | powder for concentrate for solution for infusion  | Missing   |
|                   | 1.14.3       | (Medicinal product name) name part(s)          |   |   |


Comparison Summary Comparison Report


30°C Mostly sunny 11:31 AM 5/5/2026


|   |   |         |                  |                |
|---|---|---------|------------------|----------------|
|  | Project                                   | SPORIFY | Document Type    | OQ Script      |
|   |   |         | Document Version | 1.0            |
| Document Name   | AG_SPOR_2026.1.0.0_OQ_Products_Comparison |         | Page             | Page 61 of 118 |


| Step No  | Procedure Steps             | Test Data   | Expected Results   | Actual Results   | Test Status |          |                    |   |                                      |                                      |          |   |   |   |   |                   |    |   |    |    |                         |    |   |    |    |                      |   |   |   |   |                            |    |   |   |   |            |    |   |   |   |                        |   |   |   |   |              |            |          |           |           |
|--|-----------------------------|---|--|--|-------------|----------|--------------------|---|--------------------------------------|--------------------------------------|----------|---|---|---|---|-------------------|----|---|----|----|-------------------------|----|---|----|----|----------------------|---|---|---|---|----------------------------|----|---|---|---|------------|----|---|---|---|------------------------|---|---|---|---|--------------|------------|----------|-----------|-----------|
|  <p>The screenshot shows a spreadsheet with the following data:</p> <table border="1"> <thead> <tr> <th>Resource</th> <th>Number of elements</th> <th>Number of different values between {source} vs {target}</th> <th>Number of missing values in {source}</th> <th>Number of missing values in {target}</th> </tr> </thead> <tbody> <tr> <td>Resource</td> <td>0</td> <td>0</td> <td>0</td> <td>0</td> </tr> <tr> <td>Medicinal Product</td> <td>42</td> <td>1</td> <td>10</td> <td>10</td> </tr> <tr> <td>Marketing authorisation</td> <td>22</td> <td>0</td> <td>11</td> <td>11</td> </tr> <tr> <td>Clinical particulars</td> <td>3</td> <td>0</td> <td>0</td> <td>0</td> </tr> <tr> <td>Packaged medicinal product</td> <td>19</td> <td>0</td> <td>0</td> <td>0</td> </tr> <tr> <td>Ingredient</td> <td>26</td> <td>0</td> <td>0</td> <td>0</td> </tr> <tr> <td>Pharmaceutical product</td> <td>7</td> <td>0</td> <td>0</td> <td>0</td> </tr> <tr> <td><b>Total</b></td> <td><b>119</b></td> <td><b>1</b></td> <td><b>21</b></td> <td><b>21</b></td> </tr> </tbody> </table> <p>Below the table, the following parameters are listed:</p> <ul style="list-style-type: none"> <li>Source filename: 70_60000000684_1.json</li> <li>Source data refresh: 05-05-2026</li> <li>Target filename: 70_60000000598_1.json</li> <li>Target data refresh: 05-05-2026</li> <li>Report creation: 05-05-2026</li> <li>Timezone: UTC</li> <li>Username: sporifyadmin</li> </ul> |                             |   |  |  |             | Resource | Number of elements | Number of different values between {source} vs {target} | Number of missing values in {source} | Number of missing values in {target} | Resource | 0 | 0 | 0 | 0 | Medicinal Product | 42 | 1 | 10 | 10 | Marketing authorisation | 22 | 0 | 11 | 11 | Clinical particulars | 3 | 0 | 0 | 0 | Packaged medicinal product | 19 | 0 | 0 | 0 | Ingredient | 26 | 0 | 0 | 0 | Pharmaceutical product | 7 | 0 | 0 | 0 | <b>Total</b> | <b>119</b> | <b>1</b> | <b>21</b> | <b>21</b> |
| Resource   | Number of elements          | Number of different values between {source} vs {target} | Number of missing values in {source}                             | Number of missing values in {target}   |             |          |                    |   |                                      |                                      |          |   |   |   |   |                   |    |   |    |    |                         |    |   |    |    |                      |   |   |   |   |                            |    |   |   |   |            |    |   |   |   |                        |   |   |   |   |              |            |          |           |           |
| Resource   | 0                           | 0   | 0  | 0  |             |          |                    |   |                                      |                                      |          |   |   |   |   |                   |    |   |    |    |                         |    |   |    |    |                      |   |   |   |   |                            |    |   |   |   |            |    |   |   |   |                        |   |   |   |   |              |            |          |           |           |
| Medicinal Product  | 42                          | 1   | 10   | 10   |             |          |                    |   |                                      |                                      |          |   |   |   |   |                   |    |   |    |    |                         |    |   |    |    |                      |   |   |   |   |                            |    |   |   |   |            |    |   |   |   |                        |   |   |   |   |              |            |          |           |           |
| Marketing authorisation  | 22                          | 0   | 11   | 11   |             |          |                    |   |                                      |                                      |          |   |   |   |   |                   |    |   |    |    |                         |    |   |    |    |                      |   |   |   |   |                            |    |   |   |   |            |    |   |   |   |                        |   |   |   |   |              |            |          |           |           |
| Clinical particulars   | 3                           | 0   | 0  | 0  |             |          |                    |   |                                      |                                      |          |   |   |   |   |                   |    |   |    |    |                         |    |   |    |    |                      |   |   |   |   |                            |    |   |   |   |            |    |   |   |   |                        |   |   |   |   |              |            |          |           |           |
| Packaged medicinal product   | 19                          | 0   | 0  | 0  |             |          |                    |   |                                      |                                      |          |   |   |   |   |                   |    |   |    |    |                         |    |   |    |    |                      |   |   |   |   |                            |    |   |   |   |            |    |   |   |   |                        |   |   |   |   |              |            |          |           |           |
| Ingredient   | 26                          | 0   | 0  | 0  |             |          |                    |   |                                      |                                      |          |   |   |   |   |                   |    |   |    |    |                         |    |   |    |    |                      |   |   |   |   |                            |    |   |   |   |            |    |   |   |   |                        |   |   |   |   |              |            |          |           |           |
| Pharmaceutical product   | 7                           | 0   | 0  | 0  |             |          |                    |   |                                      |                                      |          |   |   |   |   |                   |    |   |    |    |                         |    |   |    |    |                      |   |   |   |   |                            |    |   |   |   |            |    |   |   |   |                        |   |   |   |   |              |            |          |           |           |
| <b>Total</b>   | <b>119</b>                  | <b>1</b>  | <b>21</b>  | <b>21</b>  |             |          |                    |   |                                      |                                      |          |   |   |   |   |                   |    |   |    |    |                         |    |   |    |    |                      |   |   |   |   |                            |    |   |   |   |            |    |   |   |   |                        |   |   |   |   |              |            |          |           |           |
| Step 18  | Click on Clear filter icon. | NA  | Search criteria is cleared and all compared products are listed. | AE<br><br>Chandrashekar<br>Naguvanahalli<br>Shankaregowda<br>05 May 2026 at 11:35 AM | Passed      |          |                    |   |                                      |                                      |          |   |   |   |   |                   |    |   |    |    |                         |    |   |    |    |                      |   |   |   |   |                            |    |   |   |   |            |    |   |   |   |                        |   |   |   |   |              |            |          |           |           |

|   |   |         |                  |                |
|---|---|---------|------------------|----------------|
|  | Project                                   | SPORIFY | Document Type    | OQ Script      |
|   |   |         | Document Version | 1.0            |
| Document Name   | AG_SPOR_2026.1.0.0_OQ_Products_Comparison |         | Page             | Page 62 of 118 |


| Step No                           | Procedure Steps   | Test Data       | Expected Results          | Actual Results  | Test Status |                   |        |        |               |          |            |            |                                   |           |                 |                           |                 |             |             |
|-----------------------------------|---|-----------------|---------------------------|-----------------|-------------|-------------------|--------|--------|---------------|----------|------------|------------|-----------------------------------|-----------|-----------------|---------------------------|-----------------|-------------|-------------|
|                                   |  <p>The screenshot displays the SPORIFY web application interface. The browser address bar shows the URL: https://sporify-preval.sporify.eu/app/main/products/compare-products?search=Kivexa%20600%20mg%2F300%20mg%20film-coated%20... The page title is "Compare Products" and the user is logged in as "AGSAN\prevaluser4". The search bar contains "Kivexa 600 mg/300 mg film-coated tablets". Below the search bar is a table with the following data:</p> <table border="1"> <thead> <tr> <th>Secondary Product</th> <th>Status</th> <th>Export</th> <th>IDMP Sections</th> <th>Insights</th> <th>Created By</th> <th>Created On</th> </tr> </thead> <tbody> <tr> <td>Tivicay 50 mg film-coated tablets</td> <td>Completed</td> <td>[Download icon]</td> <td>[IDMP Sections bar chart]</td> <td>[Insights icon]</td> <td>prevaluser4</td> <td>May 5, 2026</td> </tr> </tbody> </table> <p>The table also shows a "g film-coated tablets" entry highlighted in yellow. The bottom of the screenshot shows a Windows taskbar with the date and time: 11:34 AM 5/5/2026.</p> |                 |                           |                 |             | Secondary Product | Status | Export | IDMP Sections | Insights | Created By | Created On | Tivicay 50 mg film-coated tablets | Completed | [Download icon] | [IDMP Sections bar chart] | [Insights icon] | prevaluser4 | May 5, 2026 |
| Secondary Product                 | Status  | Export          | IDMP Sections             | Insights        | Created By  | Created On        |        |        |               |          |            |            |                                   |           |                 |                           |                 |             |             |
| Tivicay 50 mg film-coated tablets | Completed   | [Download icon] | [IDMP Sections bar chart] | [Insights icon] | prevaluser4 | May 5, 2026       |        |        |               |          |            |            |                                   |           |                 |                           |                 |             |             |


|   |   |         |                  |                |
|---|---|---------|------------------|----------------|
|  | Project                                   | SPORIFY | Document Type    | OQ Script      |
|   |   |         | Document Version | 1.0            |
| Document Name   | AG_SPOR_2026.1.0.0_OQ_Products_Comparison |         | Page             | Page 63 of 118 |

| Step No | Procedure Steps   | Test Data                               | Expected Results | Actual Results | Test Status   |          |                 |                   |        |        |               |          |   |  |                                   |           |          |               |       |   |   |   |           |          |               |       |  |                                   |             |            |  |  |  |
|---------|---|---|------------------|----------------|---------------|----------|-----------------|-------------------|--------|--------|---------------|----------|---|--|-----------------------------------|-----------|----------|---------------|-------|---|---|---|-----------|----------|---------------|-------|--|-----------------------------------|-------------|------------|--|--|--|
|         |  <p>The screenshot shows the SPORIFY web application interface for comparing products. The main content area displays a table with the following data:</p> <table border="1"> <thead> <tr> <th>Actions</th> <th>Primary Product</th> <th>Secondary Product</th> <th>Status</th> <th>Export</th> <th>IDMP Sections</th> <th>Insights</th> </tr> </thead> <tbody> <tr> <td>⋮</td> <td>Kivexa 600 mg/300 mg film-coated tablets</td> <td>Tivicay 50 mg film-coated tablets</td> <td>Completed</td> <td>Download</td> <td>Progress bars</td> <td>Chart</td> </tr> <tr> <td>⋮</td> <td>Betnovate Scalp Application 0.1% w/w Cutane</td> <td>Boostrix Polio, suspensie voor injectie</td> <td>Completed</td> <td>Download</td> <td>Progress bars</td> <td>Chart</td> </tr> <tr> <td></td> <td>Xospata 40 mg film-coated tablets</td> <td>film-coated</td> <td>Processing</td> <td></td> <td></td> <td></td> </tr> </tbody> </table> <p>At the bottom of the table, there is a progress bar and pagination controls showing 'Total: 3' and '1' items displayed out of 50.</p> |   |                  |                |               | Actions  | Primary Product | Secondary Product | Status | Export | IDMP Sections | Insights | ⋮ | Kivexa 600 mg/300 mg film-coated tablets | Tivicay 50 mg film-coated tablets | Completed | Download | Progress bars | Chart | ⋮ | Betnovate Scalp Application 0.1% w/w Cutane | Boostrix Polio, suspensie voor injectie | Completed | Download | Progress bars | Chart |  | Xospata 40 mg film-coated tablets | film-coated | Processing |  |  |  |
| Actions | Primary Product   | Secondary Product                       | Status           | Export         | IDMP Sections | Insights |                 |                   |        |        |               |          |   |  |                                   |           |          |               |       |   |   |   |           |          |               |       |  |                                   |             |            |  |  |  |
| ⋮       | Kivexa 600 mg/300 mg film-coated tablets  | Tivicay 50 mg film-coated tablets       | Completed        | Download       | Progress bars | Chart    |                 |                   |        |        |               |          |   |  |                                   |           |          |               |       |   |   |   |           |          |               |       |  |                                   |             |            |  |  |  |
| ⋮       | Betnovate Scalp Application 0.1% w/w Cutane   | Boostrix Polio, suspensie voor injectie | Completed        | Download       | Progress bars | Chart    |                 |                   |        |        |               |          |   |  |                                   |           |          |               |       |   |   |   |           |          |               |       |  |                                   |             |            |  |  |  |
|         | Xospata 40 mg film-coated tablets   | film-coated                             | Processing       |                |               |          |                 |                   |        |        |               |          |   |  |                                   |           |          |               |       |   |   |   |           |          |               |       |  |                                   |             |            |  |  |  |


|   |   |         |                  |                |
|---|---|---------|------------------|----------------|
|  | Project                                   | SPORIFY | Document Type    | OQ Script      |
|   |   |         | Document Version | 1.0            |
| Document Name   | AG_SPOR_2026.1.0.0_OQ_Products_Comparison |         | Page             | Page 64 of 118 |


| Step No | Procedure Steps                               | Test Data | Expected Results  | Actual Results   | Test Status |
|---------|---|-----------|---|--|-------------|
| Step 19 | Click on the Compare Products button.<br>*PS* | NA        | Product Comparison Pop up is displayed with Cancel and Compare buttons. | AE<br><br>Chandrashekar<br>Naguvanahalli<br>Shankaregowda<br>05 May 2026 at 11:53 AM | Passed      |




|   |   |         |                         |                |
|---|---|---------|-------------------------|----------------|
|  | <b>Project</b>                            | SPORIFY | <b>Document Type</b>    | OQ Script      |
|   |   |         | <b>Document Version</b> | 1.0            |
| <b>Document Name</b>  | AG_SPOR_2026.1.0.0_OQ_Products_Comparison |         | <b>Page</b>             | Page 65 of 118 |


| Step No | Procedure Steps   | Test Data  | Expected Results   | Actual Results  | Test Status |
|---------|---|--|--|---|-------------|
| Step 20 | Select Primary Product and Product values as mentioned in test data column and verify Product Version field is not displayed for Primary Product.<br>*PS* | 1. Select Primary Product:<br><SourceList1><br>2. Select Product :<br><srcprod1> | Primary Product details are selected and on selection Select Product Version field is not displayed for Primary Product. | 1. Select Primary Product:Preval_comp<br>2. Select Product :Tivicay 50 mg film-coated tablets<br><br>AE<br><br>Chandrashekar<br>Naguvanahalli<br>Shankaregowda<br>05 May 2026 at 12:03 PM | Passed      |


|   |   |         |                  |                |
|---|---|---------|------------------|----------------|
|  | Project                                   | SPORIFY | Document Type    | OQ Script      |
|   |   |         | Document Version | 1.0            |
| Document Name   | AG_SPOR_2026.1.0.0_OQ_Products_Comparison |         | Page             | Page 66 of 118 |


| Step No | Procedure Steps   | Test Data | Expected Results | Actual Results | Test Status |
|---------|---|-----------|------------------|----------------|-------------|
|         |  |           |                  |                |             |

|   |   |         |                  |                |
|---|---|---------|------------------|----------------|
|  | Project                                   | SPORIFY | Document Type    | OQ Script      |
|   |   |         | Document Version | 1.0            |
| Document Name   | AG_SPOR_2026.1.0.0_OQ_Products_Comparison |         | Page             | Page 67 of 118 |


| Step No | Procedure Steps   | Test Data  | Expected Results   | Actual Results  | Test Status |
|---------|---|--|--|---|-------------|
| Step 21 | Select Secondary Product and Product values as mentioned in test data column and verify Product Version field is displayed for Secondary Product.<br>*PS* | 1. Select Secondary Product: PMS<br>2. Select Product : <pmsprod1> | Secondary Product details are selected and on selection Select Product Version field is displayed for Secondary Product. | 1. Select Secondary Product: PMS<br>2. Select Product : Zejula 100 mg hard capsules<br><br>AE<br><br>Chandrashekar<br>Naguvanahalli<br>Shankaregowda<br>05 May 2026 at 12:06 PM | Passed      |


|   |   |         |                  |                |
|---|---|---------|------------------|----------------|
|  | Project                                   | SPORIFY | Document Type    | OQ Script      |
|   |   |         | Document Version | 1.0            |
| Document Name   | AG_SPOR_2026.1.0.0_OQ_Products_Comparison |         | Page             | Page 68 of 118 |


| Step No | Procedure Steps   | Test Data | Expected Results | Actual Results | Test Status |
|---------|---|-----------|------------------|----------------|-------------|
|         |  |           |                  |                |             |

|   |   |         |                         |                |
|---|---|---------|-------------------------|----------------|
|  | <b>Project</b>                            | SPORIFY | <b>Document Type</b>    | OQ Script      |
|   |   |         | <b>Document Version</b> | 1.0            |
| <b>Document Name</b>  | AG_SPOR_2026.1.0.0_OQ_Products_Comparison |         | <b>Page</b>             | Page 69 of 118 |


| Step No | Procedure Steps  | Test Data                   | Expected Results                                   | Actual Results  | Test Status |
|---------|--|-----------------------------|--|---|-------------|
| Step 22 | Select a version for the Secondary Product from the dropdown list.<br>*PS* | Select Product Version: <3> | Product version is selected for secondary product. | Select Product Version: 310<br><br>AE<br><br>Chandrashekar<br>Naguvanahalli<br>Shankaregowda<br>05 May 2026 at 12:06 PM | Passed      |


|   |   |         |                  |                |
|---|---|---------|------------------|----------------|
|  | Project                                   | SPORIFY | Document Type    | OQ Script      |
|   |   |         | Document Version | 1.0            |
| Document Name   | AG_SPOR_2026.1.0.0_OQ_Products_Comparison |         | Page             | Page 70 of 118 |

| Step No | Procedure Steps   | Test Data | Expected Results | Actual Results | Test Status |
|---------|---|-----------|------------------|----------------|-------------|
|         |  |           |                  |                |             |


|   |   |         |                  |                |
|---|---|---------|------------------|----------------|
|  | Project                                   | SPORIFY | Document Type    | OQ Script      |
|   |   |         | Document Version | 1.0            |
| Document Name   | AG_SPOR_2026.1.0.0_OQ_Products_Comparison |         | Page             | Page 71 of 118 |

| Step No | Procedure Steps   | Test Data | Expected Results  | Actual Results   | Test Status |
|---------|---|-----------|---|--|-------------|
| Step 23 | Click on Swap icon available between Primary and Secondary product section.<br>*PS* | NA        | Primary and Secondary Products are swapped each other along with product and version details. | AE<br><br>Chandrashekar<br>Naguvanahalli<br>Shankaregowda<br>05 May 2026 at 12:07 PM | Passed      |



|   |   |         |                  |                |
|---|---|---------|------------------|----------------|
|  | Project                                   | SPORIFY | Document Type    | OQ Script      |
|   |   |         | Document Version | 1.0            |
| Document Name   | AG_SPOR_2026.1.0.0_OQ_Products_Comparison |         | Page             | Page 72 of 118 |


| Step No | Procedure Steps                      | Test Data | Expected Results         | Actual Results   | Test Status |
|---------|--------------------------------------|-----------|--------------------------|--|-------------|
| Step 24 | Click on the Compare button.<br>*PS* | NA        | Comparison is initiated. | AE<br><br>Chandrashekar<br>Naguvanahalli<br>Shankaregowda<br>05 May 2026 at 12:08 PM | Passed      |





The screenshot displays the SPORIFY web application interface. A 'Product Comparison' modal dialog is open, allowing users to select products for comparison. The dialog includes the following fields:

- Select Primary Product:** PMS
- Select Secondary Product:** Preval\_comp
- Select Product:** Zejula 100 mg hard capsules
- Select Product Version:** 310


At the bottom of the dialog, there are 'Cancel' and 'Compare' buttons. The background shows the application's sidebar with 'Compare Products' highlighted, and a main content area displaying a table of products with columns for 'Sections', 'Insights', and 'Created By'. The system tray at the bottom indicates a temperature of 30°C and a date of 5/5/2026.

|   |   |         |                  |                |
|---|---|---------|------------------|----------------|
|  | Project                                   | SPORIFY | Document Type    | OQ Script      |
|   |   |         | Document Version | 1.0            |
| Document Name   | AG_SPOR_2026.1.0.0_OQ_Products_Comparison |         | Page             | Page 73 of 118 |

| Step No | Procedure Steps   | Test Data                               | Expected Results | Actual Results | Test Status    |                 |                 |                   |        |        |               |          |            |   |  |                                   |           |               |                |                 |             |   |                                      |   |           |               |                |                 |             |  |                                   |             |            |  |  |  |             |
|---------|---|---|------------------|----------------|----------------|-----------------|-----------------|-------------------|--------|--------|---------------|----------|------------|---|--|-----------------------------------|-----------|---------------|----------------|-----------------|-------------|---|--------------------------------------|---|-----------|---------------|----------------|-----------------|-------------|--|-----------------------------------|-------------|------------|--|--|--|-------------|
|         |  <p>The screenshot shows the SPORIFY web application interface. The main content area displays a 'Compare Products' table with the following data:</p> <table border="1"> <thead> <tr> <th>Actions</th> <th>Primary Product</th> <th>Secondary Product</th> <th>Status</th> <th>Export</th> <th>IDMP Sections</th> <th>Insights</th> <th>Created By</th> </tr> </thead> <tbody> <tr> <td>⋮</td> <td>Kivexa 600 mg/300 mg film-coated tablets</td> <td>Tivicay 50 mg film-coated tablets</td> <td>Completed</td> <td>Download icon</td> <td>Bar chart icon</td> <td>Line chart icon</td> <td>prevaluser4</td> </tr> <tr> <td>⋮</td> <td>Betnovate Scalp Application 0.1% w/w</td> <td>Boostrix Polio, suspensie voor injectie</td> <td>Completed</td> <td>Download icon</td> <td>Bar chart icon</td> <td>Line chart icon</td> <td>prevaluser4</td> </tr> <tr> <td></td> <td>Xospata 40 mg film-coated tablets</td> <td>film-coated</td> <td>Processing</td> <td></td> <td></td> <td></td> <td>prevaluser4</td> </tr> </tbody> </table> <p>A blue notification bar at the bottom of the application area reads 'Comparison in Progress'.</p> |   |                  |                |                | Actions         | Primary Product | Secondary Product | Status | Export | IDMP Sections | Insights | Created By | ⋮ | Kivexa 600 mg/300 mg film-coated tablets | Tivicay 50 mg film-coated tablets | Completed | Download icon | Bar chart icon | Line chart icon | prevaluser4 | ⋮ | Betnovate Scalp Application 0.1% w/w | Boostrix Polio, suspensie voor injectie | Completed | Download icon | Bar chart icon | Line chart icon | prevaluser4 |  | Xospata 40 mg film-coated tablets | film-coated | Processing |  |  |  | prevaluser4 |
| Actions | Primary Product   | Secondary Product                       | Status           | Export         | IDMP Sections  | Insights        | Created By      |                   |        |        |               |          |            |   |  |                                   |           |               |                |                 |             |   |                                      |   |           |               |                |                 |             |  |                                   |             |            |  |  |  |             |
| ⋮       | Kivexa 600 mg/300 mg film-coated tablets  | Tivicay 50 mg film-coated tablets       | Completed        | Download icon  | Bar chart icon | Line chart icon | prevaluser4     |                   |        |        |               |          |            |   |  |                                   |           |               |                |                 |             |   |                                      |   |           |               |                |                 |             |  |                                   |             |            |  |  |  |             |
| ⋮       | Betnovate Scalp Application 0.1% w/w  | Boostrix Polio, suspensie voor injectie | Completed        | Download icon  | Bar chart icon | Line chart icon | prevaluser4     |                   |        |        |               |          |            |   |  |                                   |           |               |                |                 |             |   |                                      |   |           |               |                |                 |             |  |                                   |             |            |  |  |  |             |
|         | Xospata 40 mg film-coated tablets   | film-coated                             | Processing       |                |                |                 | prevaluser4     |                   |        |        |               |          |            |   |  |                                   |           |               |                |                 |             |   |                                      |   |           |               |                |                 |             |  |                                   |             |            |  |  |  |             |

|   |   |         |                  |                |
|---|---|---------|------------------|----------------|
|  | Project                                   | SPORIFY | Document Type    | OQ Script      |
|   |   |         | Document Version | 1.0            |
| Document Name   | AG_SPOR_2026.1.0.0_OQ_Products_Comparison |         | Page             | Page 74 of 118 |


| Step No | Procedure Steps   | Test Data | Expected Results  | Actual Results   | Test Status |
|---------|---|-----------|---|--|-------------|
| Step 25 | Verify the above initiated Compare Product record is displayed on top of the table with Comparison status as 'Processing'. *PS* | NA        | The above initiated Compare Product record is displayed on top of the table with Comparison status as 'Processing'. | AE<br><br>Chandrashekar<br>Naguvanahalli<br>Shankaregowda<br>05 May 2026 at 12:10 PM | Passed      |




The screenshot displays the SPORIFY web application interface for comparing products. The main content area shows a table with the following data:

| Actions | Primary Product                          | Secondary Product                       | Status     | Export   | IDMP Sections | Insights   | Created By  |
|---------|--|---|------------|----------|---------------|------------|-------------|
|         | Zejula 100 mg hard capsules              | Tivicay 50 mg film-coated tablets       | Processing |          |               |            | prevaluser4 |
| ⋮       | Kivexa 800 mg/300 mg film-coated tablets | Tivicay 50 mg film-coated tablets       | Completed  | Download | Bar chart     | Line chart | prevaluser4 |
| ⋮       | Betnovate Scalp Application 0.1% w/w     | Boostrix Polio, suspensie voor injectie | Completed  | Download | Bar chart     | Line chart | prevaluser4 |
|         | Xospata 40 mg film-coated tablets        | film-coated                             | Processing |          |               |            | prevaluser4 |

The interface also shows a search bar, a 'Compare Products' button, and a pagination bar at the bottom indicating 'Total: 4' records with page '1' selected.

|   |   |         |                  |                |
|---|---|---------|------------------|----------------|
|  | Project                                   | SPORIFY | Document Type    | OQ Script      |
|   |   |         | Document Version | 1.0            |
| Document Name   | AG_SPOR_2026.1.0.0_OQ_Products_Comparison |         | Page             | Page 75 of 118 |


| Step No | Procedure Steps   | Test Data | Expected Results  | Actual Results   | Test Status |
|---------|---|-----------|---|--|-------------|
| Step 26 | Verify the Screen is auto refreshed to update the status from 'Processing' to 'Completed' once comparison process is completed.<br>*PS* | NA        | Screen is auto refreshed to update the status from 'Processing' to 'Completed'. | AE<br><br>Chandrashekar<br>Naguvanahalli<br>Shankaregowda<br>05 May 2026 at 12:11 PM | Passed      |





The screenshot displays the SPORIFY web application interface. The main content area shows a 'Compare Products' section with a search bar and a table of product comparisons. The table has the following data:

| Actions | Primary Product                          | Secondary Product                       | Status     | Export        | IDMP Sections         | Insights        | Created By  |
|---------|--|---|------------|---------------|-----------------------|-----------------|-------------|
| ⋮       | Zejula 100 mg hard capsules              | Tivicay 50 mg film-coated tablets       | Completed  | Download icon | Color-coded bar chart | Line graph icon | prevaluser4 |
| ⋮       | Kivexa 800 mg/300 mg film-coated tablets | Tivicay 50 mg film-coated tablets       | Completed  | Download icon | Color-coded bar chart | Line graph icon | prevaluser4 |
| ⋮       | Betnovate Scalp Application 0.1% w/w     | Boostrix Polio, suspensie voor injectie | Completed  | Download icon | Color-coded bar chart | Line graph icon | prevaluser4 |
| ⋮       | Xospata 40 mg film-coated tablets        | film-coated                             | Processing | Download icon | Color-coded bar chart | Line graph icon | prevaluser4 |


The interface also shows a sidebar with navigation options like 'Products', 'Source Lists', and 'Compare Products'. The bottom of the screenshot shows a Windows taskbar with the system tray indicating 30°C and 12:10 PM on 5/5/2026.

|   |   |         |                  |                |
|---|---|---------|------------------|----------------|
|  | Project                                   | SPORIFY | Document Type    | OQ Script      |
|   |   |         | Document Version | 1.0            |
| Document Name   | AG_SPOR_2026.1.0.0_OQ_Products_Comparison |         | Page             | Page 76 of 118 |

| Step No                           | Procedure Steps  | Test Data       | Expected Results | Actual Results | Test Status |                   |        |        |               |          |            |            |                                   |           |                 |             |             |             |             |                             |           |                 |             |             |             |             |                         |           |                 |             |             |             |             |                     |            |                 |             |             |             |             |
|-----------------------------------|--|-----------------|------------------|----------------|-------------|-------------------|--------|--------|---------------|----------|------------|------------|-----------------------------------|-----------|-----------------|-------------|-------------|-------------|-------------|-----------------------------|-----------|-----------------|-------------|-------------|-------------|-------------|-------------------------|-----------|-----------------|-------------|-------------|-------------|-------------|---------------------|------------|-----------------|-------------|-------------|-------------|-------------|
|                                   |  <p>The screenshot shows the SPORIFY web application interface for comparing products. The main content area displays a table with the following data:</p> <table border="1"> <thead> <tr> <th>Secondary Product</th> <th>Status</th> <th>Export</th> <th>IDMP Sections</th> <th>Insights</th> <th>Created By</th> <th>Created On</th> </tr> </thead> <tbody> <tr> <td>Tivicay 50 mg film-coated tablets</td> <td>Completed</td> <td>[Download Icon]</td> <td>[Bar Chart]</td> <td>[Bar Chart]</td> <td>prevaluser4</td> <td>May 5, 2026</td> </tr> <tr> <td>/300 mg film-coated tablets</td> <td>Completed</td> <td>[Download Icon]</td> <td>[Bar Chart]</td> <td>[Bar Chart]</td> <td>prevaluser4</td> <td>May 5, 2026</td> </tr> <tr> <td>Ip Application 0.1% w/w</td> <td>Completed</td> <td>[Download Icon]</td> <td>[Bar Chart]</td> <td>[Bar Chart]</td> <td>prevaluser4</td> <td>May 5, 2026</td> </tr> <tr> <td>film-coated tablets</td> <td>Processing</td> <td>[Download Icon]</td> <td>[Bar Chart]</td> <td>[Bar Chart]</td> <td>prevaluser4</td> <td>May 5, 2026</td> </tr> </tbody> </table> <p>The interface also includes a sidebar with navigation options like Overview, Source Lists, Target Products, Compare Products, User Guides, and Policies. The bottom of the screenshot shows a Windows taskbar with the date and time as 12:12 PM on 5/5/2026.</p> |                 |                  |                |             | Secondary Product | Status | Export | IDMP Sections | Insights | Created By | Created On | Tivicay 50 mg film-coated tablets | Completed | [Download Icon] | [Bar Chart] | [Bar Chart] | prevaluser4 | May 5, 2026 | /300 mg film-coated tablets | Completed | [Download Icon] | [Bar Chart] | [Bar Chart] | prevaluser4 | May 5, 2026 | Ip Application 0.1% w/w | Completed | [Download Icon] | [Bar Chart] | [Bar Chart] | prevaluser4 | May 5, 2026 | film-coated tablets | Processing | [Download Icon] | [Bar Chart] | [Bar Chart] | prevaluser4 | May 5, 2026 |
| Secondary Product                 | Status   | Export          | IDMP Sections    | Insights       | Created By  | Created On        |        |        |               |          |            |            |                                   |           |                 |             |             |             |             |                             |           |                 |             |             |             |             |                         |           |                 |             |             |             |             |                     |            |                 |             |             |             |             |
| Tivicay 50 mg film-coated tablets | Completed  | [Download Icon] | [Bar Chart]      | [Bar Chart]    | prevaluser4 | May 5, 2026       |        |        |               |          |            |            |                                   |           |                 |             |             |             |             |                             |           |                 |             |             |             |             |                         |           |                 |             |             |             |             |                     |            |                 |             |             |             |             |
| /300 mg film-coated tablets       | Completed  | [Download Icon] | [Bar Chart]      | [Bar Chart]    | prevaluser4 | May 5, 2026       |        |        |               |          |            |            |                                   |           |                 |             |             |             |             |                             |           |                 |             |             |             |             |                         |           |                 |             |             |             |             |                     |            |                 |             |             |             |             |
| Ip Application 0.1% w/w           | Completed  | [Download Icon] | [Bar Chart]      | [Bar Chart]    | prevaluser4 | May 5, 2026       |        |        |               |          |            |            |                                   |           |                 |             |             |             |             |                             |           |                 |             |             |             |             |                         |           |                 |             |             |             |             |                     |            |                 |             |             |             |             |
| film-coated tablets               | Processing   | [Download Icon] | [Bar Chart]      | [Bar Chart]    | prevaluser4 | May 5, 2026       |        |        |               |          |            |            |                                   |           |                 |             |             |             |             |                             |           |                 |             |             |             |             |                         |           |                 |             |             |             |             |                     |            |                 |             |             |             |             |

|   |   |         |                  |                |
|---|---|---------|------------------|----------------|
|  | Project                                   | SPORIFY | Document Type    | OQ Script      |
|   |   |         | Document Version | 1.0            |
| Document Name   | AG_SPOR_2026.1.0.0_OQ_Products_Comparison |         | Page             | Page 77 of 118 |


| Step No | Procedure Steps  | Test Data | Expected Results  | Actual Results   | Test Status |
|---------|--|-----------|---|--|-------------|
| Step 27 | Verify IDMP Sections Details are displayed after the status is changed to Completed.<br>*PS* | NA        | IDMP Sections Details are displayed after the status is changed to Completed. | AE<br><br>Chandrashekar<br>Naguvanahalli<br>Shankaregowda<br>05 May 2026 at 12:13 PM | Passed      |




The screenshot displays the SPORIFY web application interface. The browser address bar shows the URL: <https://sporify-preval.sporify.eu/app/main/products/compare-products>. The user is logged in as AGSAN | prevaluser4. The main content area is titled 'Compare Products' and contains a search bar and a table of product comparisons.

| Actions | Primary Product                       | Secondary Product                       | Status     | Export   | IDMP Sections    | Insights  | Created |
|---------|---------------------------------------|---|------------|----------|------------------|-----------|---------|
| ⋮       | Zojula 100 mg hard capsules           | Tivicay 50 mg film-coated tablets       | Completed  | Download | Color-coded bars | Bar chart | pr...   |
| ⋮       | Kivexa 600 mg/300 mg film-coated t... | Tivicay 50 mg film-coated tablets       | Completed  | Download | Color-coded bars | Bar chart | pr...   |
| ⋮       | Betnovate Scalp Application 0.1% w/w  | Boostrix Polio, suspensie voor injectie | Completed  | Download | Color-coded bars | Bar chart | pr...   |
| ⋮       | Xospata 40 mg film-coated tablets     | film-coated                             | Processing |          |                  |           | pr...   |


At the bottom of the interface, there is a pagination bar showing 'Total: 4' and a dropdown menu set to '50'. The Windows taskbar at the bottom indicates the system temperature is 30°C and the date is 5/5/2026.

|   |   |         |                  |                |
|---|---|---------|------------------|----------------|
|  | Project                                   | SPORIFY | Document Type    | OQ Script      |
|   |   |         | Document Version | 1.0            |
| Document Name   | AG_SPOR_2026.1.0.0_OQ_Products_Comparison |         | Page             | Page 78 of 118 |

| Step No | Procedure Steps   | Test Data   | Expected Results  | Actual Results   | Test Status |
|---------|---|---|---|--|-------------|
| Step 28 | FR_PROD_COMP_013:<br>Hover on the IDMP Sections for each segment to see section-level comparison details and counts. *PS* | <Section: Medicinal Products & Attachments<br>Missing: 10<br>Differences: 1<br>No Inconsistencies: 2> | Different IDMP sections and it respective counts are displayed. | Section: Medicinal Products & Attachments<br>Missing: 73<br>Differences: 3<br>No Inconsistencies: 12<br><br>Section: Marketing Authorisation<br>Missing: 23<br><br>Section: Clinical Particulars<br>Missing: 3<br>No Inconsistencies: 3<br><br>Section:Ingredient<br>Missing: 123<br><br>Section: Pharmaceutical Product<br>Missing: 24<br><br>Section: Packaged Medicinal Product<br>Missing: 154<br><br>AE | Passed      |

|   |   |         |                  |                |
|---|---|---------|------------------|----------------|
|  | Project                                   | SPORIFY | Document Type    | OQ Script      |
|   |   |         | Document Version | 1.0            |
| Document Name   | AG_SPOR_2026.1.0.0_OQ_Products_Comparison |         | Page             | Page 79 of 118 |


| Step No | Procedure Steps | Test Data | Expected Results | Actual Results   | Test Status |
|---------|-----------------|-----------|------------------|--|-------------|
|         |                 |           |                  | Chandrashekar<br>Naguvanahalli<br>Shankaregowda<br>05 May 2026 at 12:21 PM |             |





The screenshot shows the SPORIFY web application interface. The browser address bar displays the URL: <https://sporify-preval.sporify.eu/app/main/products/compare-products>. The user is logged in as AGSAN | prevaluser4. The main content area is titled 'Compare Products' and contains a table with the following data:


| Actions | Primary Product                       | Secondary Product                       | Status     | Export   | IDMP Sections                   | Insights | Created |
|---------|---------------------------------------|---|------------|----------|---------------------------------|----------|---------|
| ⋮       | Zejula 100 mg hard capsules           | Tivicay 50 mg film-coated tablets       | Completed  | Download | Medicinal Product & Attachments | Chart    | pr...   |
| ⋮       | Kivexa 600 mg/300 mg film-coated t... | Tivicay 50 mg film-coated tablets       | Completed  | Download | Chart                           | Chart    | pr...   |
| ⋮       | Botnovate Scalp Application 0.1% w/w  | Boostrix Polio, suspensie voor injectie | Completed  | Download | Chart                           | Chart    | pr...   |
| ⋮       | Xospata 40 mg film-coated tablets     | film-coated                             | Processing | Download | Chart                           | Chart    | pr...   |


The interface also includes a search bar, a 'Compare Products' button, and a sidebar with navigation options like 'Products', 'Overview', 'Source Lists', 'Target Products', 'Compare Products', 'User Guides', and 'Policies'. The bottom of the screenshot shows the Windows taskbar with the date and time: 12:13 PM 5/5/2026.


|   |   |         |                  |                |
|---|---|---------|------------------|----------------|
|  | Project                                   | SPORIFY | Document Type    | OQ Script      |
|   |   |         | Document Version | 1.0            |
| Document Name   | AG_SPOR_2026.1.0.0_OQ_Products_Comparison |         | Page             | Page 80 of 118 |


| Step No | Procedure Steps   | Test Data | Expected Results | Actual Results | Test Status |
|---------|---|-----------|------------------|----------------|-------------|
|         |  |           |                  |                |             |


|   |   |         |                  |                |
|---|---|---------|------------------|----------------|
|  | Project                                   | SPORIFY | Document Type    | OQ Script      |
|   |   |         | Document Version | 1.0            |
| Document Name   | AG_SPOR_2026.1.0.0_OQ_Products_Comparison |         | Page             | Page 81 of 118 |


| Step No | Procedure Steps  | Test Data                               | Expected Results | Actual Results | Test Status        |                |                 |                   |        |        |               |          |   |                             |                                   |           |               |                |                |   |  |                                   |           |               |                    |                |   |                                      |   |           |               |                    |                |   |                                   |             |            |               |                    |                |
|---------|--|---|------------------|----------------|--------------------|----------------|-----------------|-------------------|--------|--------|---------------|----------|---|-----------------------------|-----------------------------------|-----------|---------------|----------------|----------------|---|--|-----------------------------------|-----------|---------------|--------------------|----------------|---|--------------------------------------|---|-----------|---------------|--------------------|----------------|---|-----------------------------------|-------------|------------|---------------|--------------------|----------------|
|         |  <p>The screenshot shows the SPORIFY web application interface. The main content area is titled 'Compare Products' and contains a table with the following data:</p> <table border="1"> <thead> <tr> <th>Actions</th> <th>Primary Product</th> <th>Secondary Product</th> <th>Status</th> <th>Export</th> <th>IDMP Sections</th> <th>Insights</th> </tr> </thead> <tbody> <tr> <td>⋮</td> <td>Zejula 100 mg hard capsules</td> <td>Tivicay 50 mg film-coated tablets</td> <td>Completed</td> <td>Download icon</td> <td>Differences: 3</td> <td>Bar chart icon</td> </tr> <tr> <td>⋮</td> <td>Kivexa 600 mg/300 mg film-coated tablets</td> <td>Tivicay 50 mg film-coated tablets</td> <td>Completed</td> <td>Download icon</td> <td>Colorful bar chart</td> <td>Bar chart icon</td> </tr> <tr> <td>⋮</td> <td>Betnovate Scalp Application 0.1% w/w</td> <td>Boostrix Polio, suspensie voor injectie</td> <td>Completed</td> <td>Download icon</td> <td>Colorful bar chart</td> <td>Bar chart icon</td> </tr> <tr> <td>⋮</td> <td>Xospata 40 mg film-coated tablets</td> <td>film-coated</td> <td>Processing</td> <td>Download icon</td> <td>Colorful bar chart</td> <td>Bar chart icon</td> </tr> </tbody> </table> <p>The interface also shows a sidebar with navigation options: Overview, Source Lists, Target Products, Compare Products (selected), User Guides, and Policies. The bottom of the screenshot shows a Windows taskbar with the date 5/5/2026 and time 12:14 PM.</p> |   |                  |                |                    | Actions        | Primary Product | Secondary Product | Status | Export | IDMP Sections | Insights | ⋮ | Zejula 100 mg hard capsules | Tivicay 50 mg film-coated tablets | Completed | Download icon | Differences: 3 | Bar chart icon | ⋮ | Kivexa 600 mg/300 mg film-coated tablets | Tivicay 50 mg film-coated tablets | Completed | Download icon | Colorful bar chart | Bar chart icon | ⋮ | Betnovate Scalp Application 0.1% w/w | Boostrix Polio, suspensie voor injectie | Completed | Download icon | Colorful bar chart | Bar chart icon | ⋮ | Xospata 40 mg film-coated tablets | film-coated | Processing | Download icon | Colorful bar chart | Bar chart icon |
| Actions | Primary Product  | Secondary Product                       | Status           | Export         | IDMP Sections      | Insights       |                 |                   |        |        |               |          |   |                             |                                   |           |               |                |                |   |  |                                   |           |               |                    |                |   |                                      |   |           |               |                    |                |   |                                   |             |            |               |                    |                |
| ⋮       | Zejula 100 mg hard capsules  | Tivicay 50 mg film-coated tablets       | Completed        | Download icon  | Differences: 3     | Bar chart icon |                 |                   |        |        |               |          |   |                             |                                   |           |               |                |                |   |  |                                   |           |               |                    |                |   |                                      |   |           |               |                    |                |   |                                   |             |            |               |                    |                |
| ⋮       | Kivexa 600 mg/300 mg film-coated tablets   | Tivicay 50 mg film-coated tablets       | Completed        | Download icon  | Colorful bar chart | Bar chart icon |                 |                   |        |        |               |          |   |                             |                                   |           |               |                |                |   |  |                                   |           |               |                    |                |   |                                      |   |           |               |                    |                |   |                                   |             |            |               |                    |                |
| ⋮       | Betnovate Scalp Application 0.1% w/w   | Boostrix Polio, suspensie voor injectie | Completed        | Download icon  | Colorful bar chart | Bar chart icon |                 |                   |        |        |               |          |   |                             |                                   |           |               |                |                |   |  |                                   |           |               |                    |                |   |                                      |   |           |               |                    |                |   |                                   |             |            |               |                    |                |
| ⋮       | Xospata 40 mg film-coated tablets  | film-coated                             | Processing       | Download icon  | Colorful bar chart | Bar chart icon |                 |                   |        |        |               |          |   |                             |                                   |           |               |                |                |   |  |                                   |           |               |                    |                |   |                                      |   |           |               |                    |                |   |                                   |             |            |               |                    |                |


|   |   |         |                  |                |
|---|---|---------|------------------|----------------|
|  | Project                                   | SPORIFY | Document Type    | OQ Script      |
|   |   |         | Document Version | 1.0            |
| Document Name   | AG_SPOR_2026.1.0.0_OQ_Products_Comparison |         | Page             | Page 82 of 118 |


| Step No | Procedure Steps   | Test Data | Expected Results | Actual Results | Test Status |
|---------|---|-----------|------------------|----------------|-------------|
|         |  |           |                  |                |             |


|   |   |         |                  |                |
|---|---|---------|------------------|----------------|
|  | Project                                   | SPORIFY | Document Type    | OQ Script      |
|   |   |         | Document Version | 1.0            |
| Document Name   | AG_SPOR_2026.1.0.0_OQ_Products_Comparison |         | Page             | Page 83 of 118 |


| Step No | Procedure Steps   | Test Data | Expected Results | Actual Results | Test Status |
|---------|---|-----------|------------------|----------------|-------------|
|         |  |           |                  |                |             |


|   |   |         |                  |                |
|---|---|---------|------------------|----------------|
|  | Project                                   | SPORIFY | Document Type    | OQ Script      |
|   |   |         | Document Version | 1.0            |
| Document Name   | AG_SPOR_2026.1.0.0_OQ_Products_Comparison |         | Page             | Page 84 of 118 |


| Step No | Procedure Steps   | Test Data | Expected Results | Actual Results | Test Status |
|---------|---|-----------|------------------|----------------|-------------|
|         |  |           |                  |                |             |


|   |   |         |                  |                |
|---|---|---------|------------------|----------------|
|  | Project                                   | SPORIFY | Document Type    | OQ Script      |
|   |   |         | Document Version | 1.0            |
| Document Name   | AG_SPOR_2026.1.0.0_OQ_Products_Comparison |         | Page             | Page 85 of 118 |


| Step No | Procedure Steps  | Test Data                               | Expected Results | Actual Results | Test Status                                   |            |                 |                   |        |        |               |          |   |                             |                                   |           |          |   |            |   |  |                                   |           |          |           |            |   |                                      |   |           |          |           |            |  |                                   |             |            |  |  |  |
|---------|--|---|------------------|----------------|---|------------|-----------------|-------------------|--------|--------|---------------|----------|---|-----------------------------|-----------------------------------|-----------|----------|---|------------|---|--|-----------------------------------|-----------|----------|-----------|------------|---|--------------------------------------|---|-----------|----------|-----------|------------|--|-----------------------------------|-------------|------------|--|--|--|
|         |  <p>The screenshot shows the SPORIFY web application interface for comparing products. The main content area displays a table with the following data:</p> <table border="1"> <thead> <tr> <th>Actions</th> <th>Primary Product</th> <th>Secondary Product</th> <th>Status</th> <th>Export</th> <th>IDMP Sections</th> <th>Insights</th> </tr> </thead> <tbody> <tr> <td>⋮</td> <td>Zejula 100 mg hard capsules</td> <td>Tivicay 50 mg film-coated tablets</td> <td>Completed</td> <td>Download</td> <td>Bar chart with tooltip 'Clinical Particulars'</td> <td>Chart icon</td> </tr> <tr> <td>⋮</td> <td>Kivexa 600 mg/300 mg film-coated tablets</td> <td>Tivicay 50 mg film-coated tablets</td> <td>Completed</td> <td>Download</td> <td>Bar chart</td> <td>Chart icon</td> </tr> <tr> <td>⋮</td> <td>Betnovate Scalp Application 0.1% w/w</td> <td>Boostrix Polio, suspensie voor injectie</td> <td>Completed</td> <td>Download</td> <td>Bar chart</td> <td>Chart icon</td> </tr> <tr> <td></td> <td>Xospata 40 mg film-coated tablets</td> <td>film-coated</td> <td>Processing</td> <td></td> <td></td> <td></td> </tr> </tbody> </table> <p>The interface also includes a search bar, a 'Compare Products' button, and a pagination control showing 'Total: 4' and '1' of 50 items.</p> |   |                  |                |   | Actions    | Primary Product | Secondary Product | Status | Export | IDMP Sections | Insights | ⋮ | Zejula 100 mg hard capsules | Tivicay 50 mg film-coated tablets | Completed | Download | Bar chart with tooltip 'Clinical Particulars' | Chart icon | ⋮ | Kivexa 600 mg/300 mg film-coated tablets | Tivicay 50 mg film-coated tablets | Completed | Download | Bar chart | Chart icon | ⋮ | Betnovate Scalp Application 0.1% w/w | Boostrix Polio, suspensie voor injectie | Completed | Download | Bar chart | Chart icon |  | Xospata 40 mg film-coated tablets | film-coated | Processing |  |  |  |
| Actions | Primary Product  | Secondary Product                       | Status           | Export         | IDMP Sections                                 | Insights   |                 |                   |        |        |               |          |   |                             |                                   |           |          |   |            |   |  |                                   |           |          |           |            |   |                                      |   |           |          |           |            |  |                                   |             |            |  |  |  |
| ⋮       | Zejula 100 mg hard capsules  | Tivicay 50 mg film-coated tablets       | Completed        | Download       | Bar chart with tooltip 'Clinical Particulars' | Chart icon |                 |                   |        |        |               |          |   |                             |                                   |           |          |   |            |   |  |                                   |           |          |           |            |   |                                      |   |           |          |           |            |  |                                   |             |            |  |  |  |
| ⋮       | Kivexa 600 mg/300 mg film-coated tablets   | Tivicay 50 mg film-coated tablets       | Completed        | Download       | Bar chart                                     | Chart icon |                 |                   |        |        |               |          |   |                             |                                   |           |          |   |            |   |  |                                   |           |          |           |            |   |                                      |   |           |          |           |            |  |                                   |             |            |  |  |  |
| ⋮       | Betnovate Scalp Application 0.1% w/w   | Boostrix Polio, suspensie voor injectie | Completed        | Download       | Bar chart                                     | Chart icon |                 |                   |        |        |               |          |   |                             |                                   |           |          |   |            |   |  |                                   |           |          |           |            |   |                                      |   |           |          |           |            |  |                                   |             |            |  |  |  |
|         | Xospata 40 mg film-coated tablets  | film-coated                             | Processing       |                |   |            |                 |                   |        |        |               |          |   |                             |                                   |           |          |   |            |   |  |                                   |           |          |           |            |   |                                      |   |           |          |           |            |  |                                   |             |            |  |  |  |


|   |   |         |                  |                |
|---|---|---------|------------------|----------------|
|  | Project                                   | SPORIFY | Document Type    | OQ Script      |
|   |   |         | Document Version | 1.0            |
| Document Name   | AG_SPOR_2026.1.0.0_OQ_Products_Comparison |         | Page             | Page 86 of 118 |


| Step No | Procedure Steps   | Test Data | Expected Results | Actual Results | Test Status |
|---------|---|-----------|------------------|----------------|-------------|
|         |  |           |                  |                |             |


|   |   |         |                  |                |
|---|---|---------|------------------|----------------|
|  | Project                                   | SPORIFY | Document Type    | OQ Script      |
|   |   |         | Document Version | 1.0            |
| Document Name   | AG_SPOR_2026.1.0.0_OQ_Products_Comparison |         | Page             | Page 87 of 118 |


| Step No | Procedure Steps   | Test Data                               | Expected Results | Actual Results | Test Status      |                       |                 |                   |        |        |               |          |   |                             |                                   |           |          |                  |                       |   |  |                                   |           |          |                  |               |   |                                      |   |           |          |                  |               |  |                                   |             |            |  |  |  |
|---------|---|---|------------------|----------------|------------------|-----------------------|-----------------|-------------------|--------|--------|---------------|----------|---|-----------------------------|-----------------------------------|-----------|----------|------------------|-----------------------|---|--|-----------------------------------|-----------|----------|------------------|---------------|---|--------------------------------------|---|-----------|----------|------------------|---------------|--|-----------------------------------|-------------|------------|--|--|--|
|         |  <p>The screenshot shows the SPORIFY web application interface for comparing products. The main content area displays a table with the following data:</p> <table border="1"> <thead> <tr> <th>Actions</th> <th>Primary Product</th> <th>Secondary Product</th> <th>Status</th> <th>Export</th> <th>IDMP Sections</th> <th>Insights</th> </tr> </thead> <tbody> <tr> <td>⋮</td> <td>Zejula 100 mg hard capsules</td> <td>Tivicay 50 mg film-coated tablets</td> <td>Completed</td> <td>Download</td> <td>Color-coded bars</td> <td>No Inconsistencies: 3</td> </tr> <tr> <td>⋮</td> <td>Kivexa 800 mg/300 mg film-coated tablets</td> <td>Tivicay 50 mg film-coated tablets</td> <td>Completed</td> <td>Download</td> <td>Color-coded bars</td> <td>Insights icon</td> </tr> <tr> <td>⋮</td> <td>Betnovate Scalp Application 0.1% w/w</td> <td>Boostrix Polio, suspensie voor injectie</td> <td>Completed</td> <td>Download</td> <td>Color-coded bars</td> <td>Insights icon</td> </tr> <tr> <td></td> <td>Xospata 40 mg film-coated tablets</td> <td>film-coated</td> <td>Processing</td> <td></td> <td></td> <td></td> </tr> </tbody> </table> <p>The interface also includes a search bar, a 'Compare Products' button, and a sidebar with navigation options like Overview, Source Lists, Target Products, Compare Products, User Guides, and Policies. The bottom of the screenshot shows a Windows taskbar with the date 5/5/2026 and time 12:20 PM.</p> |   |                  |                |                  | Actions               | Primary Product | Secondary Product | Status | Export | IDMP Sections | Insights | ⋮ | Zejula 100 mg hard capsules | Tivicay 50 mg film-coated tablets | Completed | Download | Color-coded bars | No Inconsistencies: 3 | ⋮ | Kivexa 800 mg/300 mg film-coated tablets | Tivicay 50 mg film-coated tablets | Completed | Download | Color-coded bars | Insights icon | ⋮ | Betnovate Scalp Application 0.1% w/w | Boostrix Polio, suspensie voor injectie | Completed | Download | Color-coded bars | Insights icon |  | Xospata 40 mg film-coated tablets | film-coated | Processing |  |  |  |
| Actions | Primary Product   | Secondary Product                       | Status           | Export         | IDMP Sections    | Insights              |                 |                   |        |        |               |          |   |                             |                                   |           |          |                  |                       |   |  |                                   |           |          |                  |               |   |                                      |   |           |          |                  |               |  |                                   |             |            |  |  |  |
| ⋮       | Zejula 100 mg hard capsules   | Tivicay 50 mg film-coated tablets       | Completed        | Download       | Color-coded bars | No Inconsistencies: 3 |                 |                   |        |        |               |          |   |                             |                                   |           |          |                  |                       |   |  |                                   |           |          |                  |               |   |                                      |   |           |          |                  |               |  |                                   |             |            |  |  |  |
| ⋮       | Kivexa 800 mg/300 mg film-coated tablets  | Tivicay 50 mg film-coated tablets       | Completed        | Download       | Color-coded bars | Insights icon         |                 |                   |        |        |               |          |   |                             |                                   |           |          |                  |                       |   |  |                                   |           |          |                  |               |   |                                      |   |           |          |                  |               |  |                                   |             |            |  |  |  |
| ⋮       | Betnovate Scalp Application 0.1% w/w  | Boostrix Polio, suspensie voor injectie | Completed        | Download       | Color-coded bars | Insights icon         |                 |                   |        |        |               |          |   |                             |                                   |           |          |                  |                       |   |  |                                   |           |          |                  |               |   |                                      |   |           |          |                  |               |  |                                   |             |            |  |  |  |
|         | Xospata 40 mg film-coated tablets   | film-coated                             | Processing       |                |                  |                       |                 |                   |        |        |               |          |   |                             |                                   |           |          |                  |                       |   |  |                                   |           |          |                  |               |   |                                      |   |           |          |                  |               |  |                                   |             |            |  |  |  |


|   |   |         |                  |                |
|---|---|---------|------------------|----------------|
|  | Project                                   | SPORIFY | Document Type    | OQ Script      |
|   |   |         | Document Version | 1.0            |
| Document Name   | AG_SPOR_2026.1.0.0_OQ_Products_Comparison |         | Page             | Page 88 of 118 |


| Step No | Procedure Steps   | Test Data                               | Expected Results | Actual Results | Test Status          |               |                 |                   |        |        |               |          |   |                             |                                   |           |               |                      |               |   |  |                                   |           |               |                      |               |   |                                      |   |           |               |                      |               |  |                                   |             |            |  |  |  |
|---------|---|---|------------------|----------------|----------------------|---------------|-----------------|-------------------|--------|--------|---------------|----------|---|-----------------------------|-----------------------------------|-----------|---------------|----------------------|---------------|---|--|-----------------------------------|-----------|---------------|----------------------|---------------|---|--------------------------------------|---|-----------|---------------|----------------------|---------------|--|-----------------------------------|-------------|------------|--|--|--|
|         |  <p>The screenshot shows the SPORIFY web application interface for comparing products. The main content area displays a table with the following data:</p> <table border="1"> <thead> <tr> <th>Actions</th> <th>Primary Product</th> <th>Secondary Product</th> <th>Status</th> <th>Export</th> <th>IDMP Sections</th> <th>Insights</th> </tr> </thead> <tbody> <tr> <td>⋮</td> <td>Zejula 100 mg hard capsules</td> <td>Tivicay 50 mg film-coated tablets</td> <td>Completed</td> <td>Download icon</td> <td>Ingredient bar chart</td> <td>Insights icon</td> </tr> <tr> <td>⋮</td> <td>Kivexa 800 mg/300 mg film-coated tablets</td> <td>Tivicay 50 mg film-coated tablets</td> <td>Completed</td> <td>Download icon</td> <td>Ingredient bar chart</td> <td>Insights icon</td> </tr> <tr> <td>⋮</td> <td>Betnovate Scalp Application 0.1% w/w</td> <td>Boostrix Polio, suspensie voor injectie</td> <td>Completed</td> <td>Download icon</td> <td>Ingredient bar chart</td> <td>Insights icon</td> </tr> <tr> <td></td> <td>Xospata 40 mg film-coated tablets</td> <td>film-coated</td> <td>Processing</td> <td></td> <td></td> <td></td> </tr> </tbody> </table> <p>The interface also includes a search bar, a 'Compare Products' button, and a pagination control showing 'Total: 4' and 'Page 1 of 1'.</p> |   |                  |                |                      | Actions       | Primary Product | Secondary Product | Status | Export | IDMP Sections | Insights | ⋮ | Zejula 100 mg hard capsules | Tivicay 50 mg film-coated tablets | Completed | Download icon | Ingredient bar chart | Insights icon | ⋮ | Kivexa 800 mg/300 mg film-coated tablets | Tivicay 50 mg film-coated tablets | Completed | Download icon | Ingredient bar chart | Insights icon | ⋮ | Betnovate Scalp Application 0.1% w/w | Boostrix Polio, suspensie voor injectie | Completed | Download icon | Ingredient bar chart | Insights icon |  | Xospata 40 mg film-coated tablets | film-coated | Processing |  |  |  |
| Actions | Primary Product   | Secondary Product                       | Status           | Export         | IDMP Sections        | Insights      |                 |                   |        |        |               |          |   |                             |                                   |           |               |                      |               |   |  |                                   |           |               |                      |               |   |                                      |   |           |               |                      |               |  |                                   |             |            |  |  |  |
| ⋮       | Zejula 100 mg hard capsules   | Tivicay 50 mg film-coated tablets       | Completed        | Download icon  | Ingredient bar chart | Insights icon |                 |                   |        |        |               |          |   |                             |                                   |           |               |                      |               |   |  |                                   |           |               |                      |               |   |                                      |   |           |               |                      |               |  |                                   |             |            |  |  |  |
| ⋮       | Kivexa 800 mg/300 mg film-coated tablets  | Tivicay 50 mg film-coated tablets       | Completed        | Download icon  | Ingredient bar chart | Insights icon |                 |                   |        |        |               |          |   |                             |                                   |           |               |                      |               |   |  |                                   |           |               |                      |               |   |                                      |   |           |               |                      |               |  |                                   |             |            |  |  |  |
| ⋮       | Betnovate Scalp Application 0.1% w/w  | Boostrix Polio, suspensie voor injectie | Completed        | Download icon  | Ingredient bar chart | Insights icon |                 |                   |        |        |               |          |   |                             |                                   |           |               |                      |               |   |  |                                   |           |               |                      |               |   |                                      |   |           |               |                      |               |  |                                   |             |            |  |  |  |
|         | Xospata 40 mg film-coated tablets   | film-coated                             | Processing       |                |                      |               |                 |                   |        |        |               |          |   |                             |                                   |           |               |                      |               |   |  |                                   |           |               |                      |               |   |                                      |   |           |               |                      |               |  |                                   |             |            |  |  |  |


|   |   |         |                  |                |
|---|---|---------|------------------|----------------|
|  | Project                                   | SPORIFY | Document Type    | OQ Script      |
|   |   |         | Document Version | 1.0            |
| Document Name   | AG_SPOR_2026.1.0.0_OQ_Products_Comparison |         | Page             | Page 89 of 118 |


| Step No | Procedure Steps   | Test Data | Expected Results | Actual Results | Test Status |
|---------|---|-----------|------------------|----------------|-------------|
|         |  |           |                  |                |             |


|   |   |         |                  |                |
|---|---|---------|------------------|----------------|
|  | Project                                   | SPORIFY | Document Type    | OQ Script      |
|   |   |         | Document Version | 1.0            |
| Document Name   | AG_SPOR_2026.1.0.0_OQ_Products_Comparison |         | Page             | Page 90 of 118 |


| Step No | Procedure Steps  | Test Data                               | Expected Results | Actual Results | Test Status           |                             |                 |                   |        |        |               |          |   |                             |                                   |           |               |                       |                             |   |  |                                   |           |               |                       |               |   |                                      |   |           |               |                       |               |  |                                   |             |            |  |  |  |
|---------|--|---|------------------|----------------|-----------------------|-----------------------------|-----------------|-------------------|--------|--------|---------------|----------|---|-----------------------------|-----------------------------------|-----------|---------------|-----------------------|-----------------------------|---|--|-----------------------------------|-----------|---------------|-----------------------|---------------|---|--------------------------------------|---|-----------|---------------|-----------------------|---------------|--|-----------------------------------|-------------|------------|--|--|--|
|         |  <p>The screenshot shows the SPORIFY web application interface for comparing products. The main content area displays a table with the following data:</p> <table border="1"> <thead> <tr> <th>Actions</th> <th>Primary Product</th> <th>Secondary Product</th> <th>Status</th> <th>Export</th> <th>IDMP Sections</th> <th>Insights</th> </tr> </thead> <tbody> <tr> <td>⋮</td> <td>Zejula 100 mg hard capsules</td> <td>Tivicay 50 mg film-coated tablets</td> <td>Completed</td> <td>Download icon</td> <td>Color-coded bar chart</td> <td>Pharmaceutical Product icon</td> </tr> <tr> <td>⋮</td> <td>Kivexa 800 mg/300 mg film-coated tablets</td> <td>Tivicay 50 mg film-coated tablets</td> <td>Completed</td> <td>Download icon</td> <td>Color-coded bar chart</td> <td>Insights icon</td> </tr> <tr> <td>⋮</td> <td>Betnovate Scalp Application 0.1% w/w</td> <td>Boostrix Polio, suspensie voor injectie</td> <td>Completed</td> <td>Download icon</td> <td>Color-coded bar chart</td> <td>Insights icon</td> </tr> <tr> <td></td> <td>Xospata 40 mg film-coated tablets</td> <td>film-coated</td> <td>Processing</td> <td></td> <td></td> <td></td> </tr> </tbody> </table> <p>The interface also includes a search bar, a 'Compare Products' button, and a pagination control showing 'Total: 4' and 'Page 1 of 1'.</p> |   |                  |                |                       | Actions                     | Primary Product | Secondary Product | Status | Export | IDMP Sections | Insights | ⋮ | Zejula 100 mg hard capsules | Tivicay 50 mg film-coated tablets | Completed | Download icon | Color-coded bar chart | Pharmaceutical Product icon | ⋮ | Kivexa 800 mg/300 mg film-coated tablets | Tivicay 50 mg film-coated tablets | Completed | Download icon | Color-coded bar chart | Insights icon | ⋮ | Betnovate Scalp Application 0.1% w/w | Boostrix Polio, suspensie voor injectie | Completed | Download icon | Color-coded bar chart | Insights icon |  | Xospata 40 mg film-coated tablets | film-coated | Processing |  |  |  |
| Actions | Primary Product  | Secondary Product                       | Status           | Export         | IDMP Sections         | Insights                    |                 |                   |        |        |               |          |   |                             |                                   |           |               |                       |                             |   |  |                                   |           |               |                       |               |   |                                      |   |           |               |                       |               |  |                                   |             |            |  |  |  |
| ⋮       | Zejula 100 mg hard capsules  | Tivicay 50 mg film-coated tablets       | Completed        | Download icon  | Color-coded bar chart | Pharmaceutical Product icon |                 |                   |        |        |               |          |   |                             |                                   |           |               |                       |                             |   |  |                                   |           |               |                       |               |   |                                      |   |           |               |                       |               |  |                                   |             |            |  |  |  |
| ⋮       | Kivexa 800 mg/300 mg film-coated tablets   | Tivicay 50 mg film-coated tablets       | Completed        | Download icon  | Color-coded bar chart | Insights icon               |                 |                   |        |        |               |          |   |                             |                                   |           |               |                       |                             |   |  |                                   |           |               |                       |               |   |                                      |   |           |               |                       |               |  |                                   |             |            |  |  |  |
| ⋮       | Betnovate Scalp Application 0.1% w/w   | Boostrix Polio, suspensie voor injectie | Completed        | Download icon  | Color-coded bar chart | Insights icon               |                 |                   |        |        |               |          |   |                             |                                   |           |               |                       |                             |   |  |                                   |           |               |                       |               |   |                                      |   |           |               |                       |               |  |                                   |             |            |  |  |  |
|         | Xospata 40 mg film-coated tablets  | film-coated                             | Processing       |                |                       |                             |                 |                   |        |        |               |          |   |                             |                                   |           |               |                       |                             |   |  |                                   |           |               |                       |               |   |                                      |   |           |               |                       |               |  |                                   |             |            |  |  |  |


|   |   |         |                  |                |
|---|---|---------|------------------|----------------|
|  | Project                                   | SPORIFY | Document Type    | OQ Script      |
|   |   |         | Document Version | 1.0            |
| Document Name   | AG_SPOR_2026.1.0.0_OQ_Products_Comparison |         | Page             | Page 91 of 118 |


| Step No | Procedure Steps   | Test Data | Expected Results | Actual Results | Test Status |
|---------|---|-----------|------------------|----------------|-------------|
|         |  |           |                  |                |             |

|   |   |         |                  |                |
|---|---|---------|------------------|----------------|
|  | Project                                   | SPORIFY | Document Type    | OQ Script      |
|   |   |         | Document Version | 1.0            |
| Document Name   | AG_SPOR_2026.1.0.0_OQ_Products_Comparison |         | Page             | Page 92 of 118 |


| Step No | Procedure Steps  | Test Data                               | Expected Results | Actual Results | Test Status                |          |                 |                   |        |        |               |          |   |                             |                                   |           |          |                            |       |   |  |                                   |           |          |       |       |   |                                      |   |           |          |       |       |  |                                   |             |            |  |  |  |
|---------|--|---|------------------|----------------|----------------------------|----------|-----------------|-------------------|--------|--------|---------------|----------|---|-----------------------------|-----------------------------------|-----------|----------|----------------------------|-------|---|--|-----------------------------------|-----------|----------|-------|-------|---|--------------------------------------|---|-----------|----------|-------|-------|--|-----------------------------------|-------------|------------|--|--|--|
|         |  <p>The screenshot shows the SPORIFY web application interface for comparing products. The main content area displays a table with the following data:</p> <table border="1"> <thead> <tr> <th>Actions</th> <th>Primary Product</th> <th>Secondary Product</th> <th>Status</th> <th>Export</th> <th>IDMP Sections</th> <th>Insights</th> </tr> </thead> <tbody> <tr> <td>⋮</td> <td>Zejula 100 mg hard capsules</td> <td>Tivicay 50 mg film-coated tablets</td> <td>Completed</td> <td>Download</td> <td>Packaged Medicinal Product</td> <td>Chart</td> </tr> <tr> <td>⋮</td> <td>Kivexa 600 mg/300 mg film-coated tablets</td> <td>Tivicay 50 mg film-coated tablets</td> <td>Completed</td> <td>Download</td> <td>Chart</td> <td>Chart</td> </tr> <tr> <td>⋮</td> <td>Betnovate Scalp Application 0.1% w/w</td> <td>Boostrix Polio, suspensie voor injectie</td> <td>Completed</td> <td>Download</td> <td>Chart</td> <td>Chart</td> </tr> <tr> <td></td> <td>Xospata 40 mg film-coated tablets</td> <td>film-coated</td> <td>Processing</td> <td></td> <td></td> <td></td> </tr> </tbody> </table> <p>The interface also includes a search bar, a 'Compare Products' button, and a pagination control showing 'Total: 4' and 'Page 1 of 1'.</p> |   |                  |                |                            | Actions  | Primary Product | Secondary Product | Status | Export | IDMP Sections | Insights | ⋮ | Zejula 100 mg hard capsules | Tivicay 50 mg film-coated tablets | Completed | Download | Packaged Medicinal Product | Chart | ⋮ | Kivexa 600 mg/300 mg film-coated tablets | Tivicay 50 mg film-coated tablets | Completed | Download | Chart | Chart | ⋮ | Betnovate Scalp Application 0.1% w/w | Boostrix Polio, suspensie voor injectie | Completed | Download | Chart | Chart |  | Xospata 40 mg film-coated tablets | film-coated | Processing |  |  |  |
| Actions | Primary Product  | Secondary Product                       | Status           | Export         | IDMP Sections              | Insights |                 |                   |        |        |               |          |   |                             |                                   |           |          |                            |       |   |  |                                   |           |          |       |       |   |                                      |   |           |          |       |       |  |                                   |             |            |  |  |  |
| ⋮       | Zejula 100 mg hard capsules  | Tivicay 50 mg film-coated tablets       | Completed        | Download       | Packaged Medicinal Product | Chart    |                 |                   |        |        |               |          |   |                             |                                   |           |          |                            |       |   |  |                                   |           |          |       |       |   |                                      |   |           |          |       |       |  |                                   |             |            |  |  |  |
| ⋮       | Kivexa 600 mg/300 mg film-coated tablets   | Tivicay 50 mg film-coated tablets       | Completed        | Download       | Chart                      | Chart    |                 |                   |        |        |               |          |   |                             |                                   |           |          |                            |       |   |  |                                   |           |          |       |       |   |                                      |   |           |          |       |       |  |                                   |             |            |  |  |  |
| ⋮       | Betnovate Scalp Application 0.1% w/w   | Boostrix Polio, suspensie voor injectie | Completed        | Download       | Chart                      | Chart    |                 |                   |        |        |               |          |   |                             |                                   |           |          |                            |       |   |  |                                   |           |          |       |       |   |                                      |   |           |          |       |       |  |                                   |             |            |  |  |  |
|         | Xospata 40 mg film-coated tablets  | film-coated                             | Processing       |                |                            |          |                 |                   |        |        |               |          |   |                             |                                   |           |          |                            |       |   |  |                                   |           |          |       |       |   |                                      |   |           |          |       |       |  |                                   |             |            |  |  |  |

|   |   |         |                  |                |
|---|---|---------|------------------|----------------|
|  | Project                                   | SPORIFY | Document Type    | OQ Script      |
|   |   |         | Document Version | 1.0            |
| Document Name   | AG_SPOR_2026.1.0.0_OQ_Products_Comparison |         | Page             | Page 93 of 118 |

| Step No | Procedure Steps   | Test Data | Expected Results | Actual Results | Test Status |
|---------|---|-----------|------------------|----------------|-------------|
|         |  |           |                  |                |             |

|   |   |         |                  |                |
|---|---|---------|------------------|----------------|
|  | Project                                   | SPORIFY | Document Type    | OQ Script      |
|   |   |         | Document Version | 1.0            |
| Document Name   | AG_SPOR_2026.1.0.0_OQ_Products_Comparison |         | Page             | Page 94 of 118 |

| Step No | Procedure Steps                                | Test Data | Expected Results  | Actual Results  | Test Status |
|---------|--|-----------|---|---|-------------|
| Step 29 | Click on the Insights icon and verify.<br>*PS* | NA        | Data Quality Insights Pop up is displayed and all IDMP Sections details with comparison counts are displayed. | AE<br><br>Chandrashekar Naguvanahalli<br>Shankaregowda<br>05 May 2026 at 12:23 PM | Passed      |





The screenshot displays the SPORIFY web application interface. The browser address bar shows the URL: <https://sporify-preval.sporify.eu/app/main/products/compare-products>. The user is logged in as AGSAN\prevaluser4.


The main content area is titled "Compare Products" and includes a search bar and a table of product comparisons. The table has the following columns: Actions, Primary Product, Secondary Product, Status, Export, IDMP Sections, and Insights. The table contains four rows of data:


| Actions | Primary Product                      | Secondary Product                       | Status     | Export   | IDMP Sections         | Insights                     |
|---------|--------------------------------------|---|------------|----------|-----------------------|------------------------------|
| ⋮       | Zejula 100 mg hard capsules          | Tivicay 50 mg film-coated tablets       | Completed  | Download | Color-coded bar chart | Insights icon                |
| ⋮       | Kivexa 600 mg/300 mg film-coated t   | Tivicay 50 mg film-coated tablets       | Completed  | Download | Color-coded bar chart | Data Quality Insights pop-up |
| ⋮       | Betnovate Scalp Application 0.1% w/w | Boostrix Polio, suspensie voor injectie | Completed  | Download | Color-coded bar chart | Insights icon                |
|         | Xospata 40 mg film-coated tablets    | film-coated                             | Processing |          |                       |                              |


The interface also shows a pagination bar at the bottom of the table with "Total: 4" and a page selector set to "1" out of "50".

|   |   |         |                  |                |
|---|---|---------|------------------|----------------|
|  | Project                                   | SPORIFY | Document Type    | OQ Script      |
|   |   |         | Document Version | 1.0            |
| Document Name   | AG_SPOR_2026.1.0.0_OQ_Products_Comparison |         | Page             | Page 95 of 118 |


| Step No                         | Procedure Steps  | Test Data   | Expected Results   | Actual Results | Test Status |          |         |             |                    |                                 |   |   |    |                         |    |   |   |                      |   |   |   |            |    |   |   |                        |    |   |   |
|---------------------------------|--|-------------|--------------------|----------------|-------------|----------|---------|-------------|--------------------|---------------------------------|---|---|----|-------------------------|----|---|---|----------------------|---|---|---|------------|----|---|---|------------------------|----|---|---|
|                                 |  <p>The screenshot displays the SPORIFY web application interface. A 'Data Quality Insights' modal window is open, showing the following data:</p> <table border="1"> <thead> <tr> <th>Category</th> <th>Missing</th> <th>Differences</th> <th>No Inconsistencies</th> </tr> </thead> <tbody> <tr> <td>Medicinal Product &amp; Attachments</td> <td>7</td> <td>3</td> <td>12</td> </tr> <tr> <td>Marketing Authorisation</td> <td>23</td> <td>0</td> <td>0</td> </tr> <tr> <td>Clinical Particulars</td> <td>3</td> <td>0</td> <td>3</td> </tr> <tr> <td>Ingredient</td> <td>23</td> <td>0</td> <td>0</td> </tr> <tr> <td>Pharmaceutical Product</td> <td>24</td> <td>0</td> <td>0</td> </tr> </tbody> </table> <p>The background interface shows a 'Compare Products' section with a table of products and a bar chart. The table includes columns for 'Export', 'IDMP Sections', 'Insights', and 'Crea'. The bar chart displays data for four products, with a total of 4 items shown. The system tray at the bottom indicates a temperature of 30°C and the date 5/5/2026.</p> |             |                    |                |             | Category | Missing | Differences | No Inconsistencies | Medicinal Product & Attachments | 7 | 3 | 12 | Marketing Authorisation | 23 | 0 | 0 | Clinical Particulars | 3 | 0 | 3 | Ingredient | 23 | 0 | 0 | Pharmaceutical Product | 24 | 0 | 0 |
| Category                        | Missing  | Differences | No Inconsistencies |                |             |          |         |             |                    |                                 |   |   |    |                         |    |   |   |                      |   |   |   |            |    |   |   |                        |    |   |   |
| Medicinal Product & Attachments | 7  | 3           | 12                 |                |             |          |         |             |                    |                                 |   |   |    |                         |    |   |   |                      |   |   |   |            |    |   |   |                        |    |   |   |
| Marketing Authorisation         | 23   | 0           | 0                  |                |             |          |         |             |                    |                                 |   |   |    |                         |    |   |   |                      |   |   |   |            |    |   |   |                        |    |   |   |
| Clinical Particulars            | 3  | 0           | 3                  |                |             |          |         |             |                    |                                 |   |   |    |                         |    |   |   |                      |   |   |   |            |    |   |   |                        |    |   |   |
| Ingredient                      | 23   | 0           | 0                  |                |             |          |         |             |                    |                                 |   |   |    |                         |    |   |   |                      |   |   |   |            |    |   |   |                        |    |   |   |
| Pharmaceutical Product          | 24   | 0           | 0                  |                |             |          |         |             |                    |                                 |   |   |    |                         |    |   |   |                      |   |   |   |            |    |   |   |                        |    |   |   |


|   |   |         |                  |                |
|---|---|---------|------------------|----------------|
|  | Project                                   | SPORIFY | Document Type    | OQ Script      |
|   |   |         | Document Version | 1.0            |
| Document Name   | AG_SPOR_2026.1.0.0_OQ_Products_Comparison |         | Page             | Page 96 of 118 |


| Step No | Procedure Steps   | Test Data | Expected Results | Actual Results | Test Status |
|---------|---|-----------|------------------|----------------|-------------|
|         |  |           |                  |                |             |


|   |   |         |                  |                |
|---|---|---------|------------------|----------------|
|  | Project                                   | SPORIFY | Document Type    | OQ Script      |
|   |   |         | Document Version | 1.0            |
| Document Name   | AG_SPOR_2026.1.0.0_OQ_Products_Comparison |         | Page             | Page 97 of 118 |

| Step No | Procedure Steps                        | Test Data | Expected Results                       | Actual Results   | Test Status |
|---------|--|-----------|--|--|-------------|
| Step 30 | Close the Data Quality Insights Popup. | NA        | Data Quality Insights popup is closed. | AE<br><br>Chandrashekar<br>Naguvanahalli<br>Shankaregowda<br>05 May 2026 at 12:23 PM | Passed      |




|   |   |         |                  |                |
|---|---|---------|------------------|----------------|
|  | Project                                   | SPORIFY | Document Type    | OQ Script      |
|   |   |         | Document Version | 1.0            |
| Document Name   | AG_SPOR_2026.1.0.0_OQ_Products_Comparison |         | Page             | Page 98 of 118 |

| Step No | Procedure Steps   | Test Data | Expected Results | Actual Results | Test Status |
|---------|---|-----------|------------------|----------------|-------------|
|         |  |           |                  |                |             |

|   |   |         |                  |                |
|---|---|---------|------------------|----------------|
|  | Project                                   | SPORIFY | Document Type    | OQ Script      |
|   |   |         | Document Version | 1.0            |
| Document Name   | AG_SPOR_2026.1.0.0_OQ_Products_Comparison |         | Page             | Page 99 of 118 |


| Step No | Procedure Steps  | Test Data | Expected Results                        | Actual Results  | Test Status |
|---------|--|-----------|---|---|-------------|
| Step 31 | Click on the Export Comparison Report button and verify.<br>*PS* | NA        | Comparison Report is Exported to Excel. | AE<br><br>Chandrashekar Naguvanahalli<br>Shankaregowda<br>05 May 2026 at 12:24 PM | Passed      |





The screenshot displays the SPORIFY web application interface. The main content area is titled 'Compare Products' and contains a table with the following data:

| Actions | Primary Product                      | Secondary Product                       | Status     | Export                           | IDMP Sections         | Insights       |
|---------|--------------------------------------|---|------------|----------------------------------|-----------------------|----------------|
| ⋮       | Zejula 100 mg hard capsules          | Tivicay 50 mg film-coated tablets       | Completed  | Download icon                    | Color-coded bar chart | Bar chart icon |
| ⋮       | Kivexa 600 mg/300 mg film-coated t   | Tivicay 50 mg film-coated tablets       | Completed  | Export Comparison Report tooltip | Color-coded bar chart | Bar chart icon |
| ⋮       | Betnovate Scalp Application 0.1% w/w | Boostrix Polio, suspensie voor injectie | Completed  | Download icon                    | Color-coded bar chart | Bar chart icon |
|         | Xospata 40 mg film-coated tablets    | film-coated                             | Processing |                                  |                       |                |


The interface also shows a sidebar with navigation options like 'Products', 'Source Lists', and 'Compare Products'. The bottom of the screenshot shows a Windows taskbar with the date and time as 12:24 PM on 5/5/2026.

|   |   |         |                  |                 |
|---|---|---------|------------------|-----------------|
|  | Project                                   | SPORIFY | Document Type    | OQ Script       |
|   |   |         | Document Version | 1.0             |
| Document Name   | AG_SPOR_2026.1.0.0_OQ_Products_Comparison |         | Page             | Page 100 of 118 |

| Step No | Procedure Steps   | Test Data                               | Expected Results | Actual Results | Test Status |         |                 |                   |        |   |                             |                                   |           |   |  |                                   |           |   |                                      |   |           |   |                                   |             |            |
|---------|---|---|------------------|----------------|-------------|---------|-----------------|-------------------|--------|---|-----------------------------|-----------------------------------|-----------|---|--|-----------------------------------|-----------|---|--------------------------------------|---|-----------|---|-----------------------------------|-------------|------------|
|         |  <p>The screenshot displays the SPORIFY web application's 'Compare Products' page. The page features a search bar and a table with columns for 'Actions', 'Primary Product', 'Secondary Product', and 'Status'. The table contains four rows of product comparison data. A 'Downloads' window is open, showing two Excel files for download. A green notification bar at the bottom of the application indicates 'Comparison Export Successful'. The browser's address bar shows the URL 'https://sporify-preval.sporify.eu/app/main/products/compare-products'. The Windows taskbar at the bottom shows the date and time as 12:24 PM on 5/5/2026.</p> <table border="1"> <thead> <tr> <th>Actions</th> <th>Primary Product</th> <th>Secondary Product</th> <th>Status</th> </tr> </thead> <tbody> <tr> <td>⋮</td> <td>Zejula 100 mg hard capsules</td> <td>Tivicay 50 mg film-coated tablets</td> <td>Completed</td> </tr> <tr> <td>⋮</td> <td>Kivexa 800 mg/300 mg film-coated tablets</td> <td>Tivicay 50 mg film-coated tablets</td> <td>Completed</td> </tr> <tr> <td>⋮</td> <td>Betnovate Scalp Application 0.1% w/w</td> <td>Boostrix Polio, suspensie voor injectie</td> <td>Completed</td> </tr> <tr> <td>⋮</td> <td>Xospata 40 mg film-coated tablets</td> <td>film-coated</td> <td>Processing</td> </tr> </tbody> </table> |   |                  |                |             | Actions | Primary Product | Secondary Product | Status | ⋮ | Zejula 100 mg hard capsules | Tivicay 50 mg film-coated tablets | Completed | ⋮ | Kivexa 800 mg/300 mg film-coated tablets | Tivicay 50 mg film-coated tablets | Completed | ⋮ | Betnovate Scalp Application 0.1% w/w | Boostrix Polio, suspensie voor injectie | Completed | ⋮ | Xospata 40 mg film-coated tablets | film-coated | Processing |
| Actions | Primary Product   | Secondary Product                       | Status           |                |             |         |                 |                   |        |   |                             |                                   |           |   |  |                                   |           |   |                                      |   |           |   |                                   |             |            |
| ⋮       | Zejula 100 mg hard capsules   | Tivicay 50 mg film-coated tablets       | Completed        |                |             |         |                 |                   |        |   |                             |                                   |           |   |  |                                   |           |   |                                      |   |           |   |                                   |             |            |
| ⋮       | Kivexa 800 mg/300 mg film-coated tablets  | Tivicay 50 mg film-coated tablets       | Completed        |                |             |         |                 |                   |        |   |                             |                                   |           |   |  |                                   |           |   |                                      |   |           |   |                                   |             |            |
| ⋮       | Betnovate Scalp Application 0.1% w/w  | Boostrix Polio, suspensie voor injectie | Completed        |                |             |         |                 |                   |        |   |                             |                                   |           |   |  |                                   |           |   |                                      |   |           |   |                                   |             |            |
| ⋮       | Xospata 40 mg film-coated tablets   | film-coated                             | Processing       |                |             |         |                 |                   |        |   |                             |                                   |           |   |  |                                   |           |   |                                      |   |           |   |                                   |             |            |


|   |   |         |                  |                 |
|---|---|---------|------------------|-----------------|
|  | Project                                   | SPORIFY | Document Type    | OQ Script       |
|   |   |         | Document Version | 1.0             |
| Document Name   | AG_SPOR_2026.1.0.0_OQ_Products_Comparison |         | Page             | Page 101 of 118 |


| Step No | Procedure Steps   | Test Data | Expected Results   | Actual Results   | Test Status |
|---------|---|-----------|--|--|-------------|
| Step 32 | Open the exported comparison report and verify.<br>*PS* | NA        | Exported comparison report contains details of Primary and Secondary products and the summary of comparison details. | AE<br><br>Chandrashekar<br>Naguvanahalli<br>Shankaregowda<br>05 May 2026 at 12:26 PM | Passed      |



The screenshot shows a spreadsheet titled "Comparison Report" with the following data:


| Resource          | IG Reference | Element Name                                   | PMS  | RIM  |
|-------------------|--------------|--|--|--|
| Medicinal Product | 1            | Medicinal Product                              |  |  |
|                   | 1.1          | Product Management Service Identifier (PMS ID) | MedicinalProductDefinition/600000000598                      | MedicinalProductDefinition/600000000423                      |
|                   | 1.3          | Domain   | Human use  | Human use  |
|                   | 1.5          | (Authorised) Pharmaceutical Form               | Missing  | Capsule, hard  |
|                   | 1.5          | (Authorised) Pharmaceutical Form               | Powder for concentrate for solution for infusion             | Missing  |
|                   | 1.6          | Combined Pharmaceutical Dose Form              | Missing  | Capsule, hard  |
|                   | 1.6          | Combined Pharmaceutical Dose Form              | Powder for concentrate for solution for infusion             | Missing  |
|                   | 1.7          | Legal Status of Supply                         | Medicinal product subject to restricted medical prescription | Medicinal product subject to restricted medical prescription |
|                   | 1.8          | Additional Monitoring Indicator                | True   | False  |
|                   | 1.9          | Orphan Designation                             |  |  |
|                   | 1.9.1        | Regulatory authorisation type                  | Missing  | Orphan Designation   |
|                   | 1.9.2        | Orphan designation status                      | Missing  | Valid  |
|                   | 1.9.4        | Orphan designation status date                 | Missing  | 2022-02-05   |
|                   | 1.10         | Paediatric Use Indicator                       | False  | False  |
|                   | 1.11         | Full indication text                           | http://spor.ema.europa.eu/v1/lists/100000072057#100000072147 | http://spor.ema.europa.eu/v1/lists/100000072057#100000072147 |
|                   | 1.11.1       | Language                                       | IntegerType[2]   | IntegerType[2]   |
|                   | 1.13         | Product classification                         |  |  |
|                   | 1.13.1       | xEVMPD product type information                | Other  | Other  |
|                   | 1.13.2       | Legal basis                                    | Full application (Article 8(3) of Directive No 2001/83/EC)   | Full application (Article 8(3) of Directive No 2001/83/EC)   |
|                   | 1.13.3       | ATC code                                       | Missing  | niraparib  |
|                   | 1.13.3       | ATC code                                       | L01FX13  | Missing  |
|                   | 1.13.5       | Genetically Modified Organisms (GMOs)          | False  | False  |
|                   | 1.14         | Medicinal product name                         |  |  |
|                   | 1.14.1       | Full name                                      | Tricay 50 mg film-coated tablets                             | Missing  |
|                   | 1.14.2       | Country/Language                               |  |  |
|                   | 1.14.2.1     | Country  | European Union   | Missing  |

|   |   |         |                  |                 |
|---|---|---------|------------------|-----------------|
|  | Project                                   | SPORIFY | Document Type    | OQ Script       |
|   |   |         | Document Version | 1.0             |
| Document Name   | AG_SPOR_2026.1.0.0_OQ_Products_Comparison |         | Page             | Page 102 of 118 |


| Step No   | Procedure Steps | Test Data | Expected Results | Actual Results | Test Status |
|---|-----------------|-----------|------------------|----------------|-------------|
|  |                 |           |                  |                |             |

[Click Here](#)

|         |  |  |  |   |        |
|---------|--|--|--|---|--------|
| Step 33 | FR_PROD_COMP_014:<br>Click on the Actions icon (3 dots) beside the recently compared record and click on Delete Comparison option.<br>*PS* | Primary Product:<br><srcprod1><br>Secondary Product:<br><pmsprod1> | A message "Are You Sure?"<br>The comparison between <primary_product> and <secondary_product> will be deleted. Is displayed. | Primary Product:Zejula 100 mg hard capsules<br>Secondary Product: Tivicay 50 mg film-coated tablets<br><br>AE | Passed |
|---------|--|--|--|---|--------|

|   |   |         |                  |                 |
|---|---|---------|------------------|-----------------|
|  | Project                                   | SPORIFY | Document Type    | OQ Script       |
|   |   |         | Document Version | 1.0             |
| Document Name   | AG_SPOR_2026.1.0.0_OQ_Products_Comparison |         | Page             | Page 103 of 118 |


| Step No | Procedure Steps | Test Data | Expected Results | Actual Results   | Test Status |
|---------|-----------------|-----------|------------------|--|-------------|
|         |                 |           |                  | Chandrashekar<br>Naguvanahalli<br>Shankaregowda<br>05 May 2026 at 12:31 PM |             |





The screenshot shows the SPORIFY web application interface. The main content area displays a 'Compare Products' table with the following data:

| Actions           | Primary Product                             | Secondary Product                       | Status     | Export   | IDMP Sections         | Insight      |
|-------------------|---|---|------------|----------|-----------------------|--------------|
| ⋮                 | Zejula 100 mg hard capsules                 | Tivicay 50 mg film-coated tablets       | Completed  | Download | Color-coded bar chart | Insight icon |
| Delete Comparison | g/300 mg film-coated tablets                | Tivicay 50 mg film-coated tablets       | Completed  | Download | Color-coded bar chart | Insight icon |
| ⋮                 | Betnovate Scalp Application 0.1% w/w Cutane | Boostrix Polio, suspensie voor injectie | Completed  | Download | Color-coded bar chart | Insight icon |
|                   | Xospata 40 mg film-coated tablets           | film-coated                             | Processing |          |                       |              |


The interface also includes a search bar, a 'Compare Products' button, and a sidebar with navigation options like 'Products', 'Source Lists', and 'Target Products'. The bottom of the screenshot shows a Windows taskbar with the date and time as 12:30 PM on 5/5/2026.

|   |   |         |                  |                 |
|---|---|---------|------------------|-----------------|
|  | Project                                   | SPORIFY | Document Type    | OQ Script       |
|   |   |         | Document Version | 1.0             |
| Document Name   | AG_SPOR_2026.1.0.0_OQ_Products_Comparison |         | Page             | Page 104 of 118 |

| Step No | Procedure Steps  | Test Data | Expected Results | Actual Results | Test Status |
|---------|--|-----------|------------------|----------------|-------------|
|         |  <p>The screenshot shows a web browser window with the URL <a href="https://sporify-preval.sporify.eu/app/main/products/compare-products">https://sporify-preval.sporify.eu/app/main/products/compare-products</a>. The page title is "Compare Products" and it includes a "Compare Products" button. A modal dialog box is open in the center, displaying a warning icon and the text: "Are You Sure? The comparison between Zejula 100 mg hard c... and Tivicay 50 mg film-c... will be deleted." Below the text are "No" and "Yes" buttons. The background shows a table with columns for "Actions", "Primary Product", "Status", "Export", "IDMP Sections", and "Insight". The table lists several products, including Zejula 100 mg hard c..., Kivexa 600 mg/300 mg, Betnovate Scalp App, and Xospata 40 mg film-... The status for the first three is "Completed" and for the last is "Processing".</p> |           |                  |                |             |





|   |   |         |                  |                 |
|---|---|---------|------------------|-----------------|
|  | Project                                   | SPORIFY | Document Type    | OQ Script       |
|   |   |         | Document Version | 1.0             |
| Document Name   | AG_SPOR_2026.1.0.0_OQ_Products_Comparison |         | Page             | Page 105 of 118 |

| Step No | Procedure Steps           | Test Data | Expected Results                                     | Actual Results   | Test Status |
|---------|---------------------------|-----------|--|--|-------------|
| Step 34 | Click on Yes button. *PS* | NA        | Selected Comparison record is deleted from the list. | AE<br><br>Chandrashekar<br>Naguvanahalli<br>Shankaregowda<br>05 May 2026 at 12:32 PM | Passed      |




The screenshot displays the SPORIFY web application interface. The browser address bar shows the URL: <https://sporify-preval.sporify.eu/app/main/products/compare-products>. The user is logged in as AGSAN | prevaluser4.

The main content area is titled "Compare Products" and includes a search bar with the text "Search keyword". Below the search bar is a table with the following data:


| Actions | Primary Product ↑ ↓ ▾                | Secondary Product ↑ ↓ ▾                 | Status     | Export | IDMP Sections   | Insights  | Created By ↑ ↓ ▾ |
|---------|--------------------------------------|---|------------|--------|---|---|------------------|
| ⋮       | Kivexa 800 mg/300 mg film-coated t   | Tivicay 50 mg film-coated tablets       | Completed  | ⬇      |  |  | prevaluser4      |
| ⋮       | Betnovate Scalp Application 0.1% w/w | Boostrix Polio, suspensie voor injectie | Completed  | ⬇      |  |  | prevaluser4      |
|         | Xospata 40 mg film-coated tablets    | film-coated                             | Processing |        |   |   | prevaluser4      |

A green notification banner at the bottom of the interface states: "Comparison Deletion Successful".

The Windows taskbar at the bottom shows the system tray with the date and time: 12:32 PM, 5/5/2026, and the weather: 31°C, Mostly sunny.


|   |   |         |                  |                 |
|---|---|---------|------------------|-----------------|
|  | Project                                   | SPORIFY | Document Type    | OQ Script       |
|   |   |         | Document Version | 1.0             |
| Document Name   | AG_SPOR_2026.1.0.0_OQ_Products_Comparison |         | Page             | Page 106 of 118 |

| Step No | Procedure Steps   | Test Data | Expected Results   | Actual Results  | Test Status |
|---------|---|-----------|--|---|-------------|
| Step 35 | FR_PROD_COMP_016:<br>Click on the Advanced Search icon.<br>*PS* | NA        | Advanced Search flyout menu is displayed with only IDMP Sections filter. | AE<br><br>Chandrashekar Naguvanahalli<br>Shankaregowda<br>05 May 2026 at 12:33 PM | Passed      |





The screenshot displays the SPORIFY web application interface. The main content area shows the 'Compare Products' section with a search bar and a table of product comparisons. The table has columns for 'Actions', 'Primary Product', 'Secondary Product', and 'Status'. The 'Advanced Search' sidebar is open, showing 'Domain Filters - Compare Products' and a dropdown menu for 'IDMP Sections'.


| Actions | Primary Product                          | Secondary Product                       | Status     |
|---------|--|---|------------|
| ⋮       | Kivexa 800 mg/300 mg film-coated tablets | Tivicay 50 mg film-coated tablets       | Completed  |
| ⋮       | Betnovate Scalp Application 0.1% w/w     | Boostrix Polio, suspensie voor injectie | Completed  |
| ⋮       | Xospata 40 mg film-coated tablets        | film-coated                             | Processing |


|   |   |         |                         |                 |
|---|---|---------|-------------------------|-----------------|
|  | <b>Project</b>                            | SPORIFY | <b>Document Type</b>    | OQ Script       |
|   |   |         | <b>Document Version</b> | 1.0             |
| <b>Document Name</b>  | AG_SPOR_2026.1.0.0_OQ_Products_Comparison |         | <b>Page</b>             | Page 107 of 118 |


| Step No | Procedure Steps  | Test Data   | Expected Results  | Actual Results  | Test Status |
|---------|--|---|---|---|-------------|
| Step 36 | Enter the data in the IDMP Sections filter as mentioned in test data column.<br>*PS* | IDMP Sections:<br><Marketing Authorisation, Pharmaceutical Product> | Values are selected for IDMP Sections filter and another filter IDMP Data Quality is displayed. | IDMP Sections: Marketing Authorisation, Pharmaceutical Product<br><br>AE<br><br>Chandrashekar Naguvanahalli<br>Shankaregowda<br>05 May 2026 at 12:34 PM | Passed      |

|   |   |         |                  |                 |
|---|---|---------|------------------|-----------------|
|  | Project                                   | SPORIFY | Document Type    | OQ Script       |
|   |   |         | Document Version | 1.0             |
| Document Name   | AG_SPOR_2026.1.0.0_OQ_Products_Comparison |         | Page             | Page 108 of 118 |


| Step No | Procedure Steps   | Test Data | Expected Results | Actual Results | Test Status |
|---------|---|-----------|------------------|----------------|-------------|
|         |  <p>The screenshot displays the SPORIFY web application interface for comparing products. The main content area shows a table with columns for 'Actions', 'Primary Product', 'Secondary Product', and 'Status'. The table contains three rows of product comparisons. A sidebar on the right, titled 'Domain Filters - Compare Products', lists 'IDMP Sections' with checkboxes for 'Marketing Authorisation', 'Clinical Particulars', 'Ingredient', 'Pharmaceutical Product', and 'Packaged Medicinal Product'. The 'Marketing Authorisation' and 'Pharmaceutical Product' checkboxes are checked. The browser's address bar shows the URL 'https://sporify-preval.sporify.eu/app/main/products/compare-products'. The Windows taskbar at the bottom shows the date and time as 12:34 PM on 5/5/2026.</p> |           |                  |                |             |


|   |   |         |                  |                 |
|---|---|---------|------------------|-----------------|
|  | Project                                   | SPORIFY | Document Type    | OQ Script       |
|   |   |         | Document Version | 1.0             |
| Document Name   | AG_SPOR_2026.1.0.0_OQ_Products_Comparison |         | Page             | Page 109 of 118 |


| Step No | Procedure Steps   | Test Data | Expected Results | Actual Results | Test Status |
|---------|---|-----------|------------------|----------------|-------------|
|         |  |           |                  |                |             |


|   |   |         |                  |                 |
|---|---|---------|------------------|-----------------|
|  | Project                                   | SPORIFY | Document Type    | OQ Script       |
|   |   |         | Document Version | 1.0             |
| Document Name   | AG_SPOR_2026.1.0.0_OQ_Products_Comparison |         | Page             | Page 110 of 118 |


| Step No | Procedure Steps   | Test Data   | Expected Results  | Actual Results   | Test Status |
|---------|---|---|---|--|-------------|
| Step 37 | Enter the data in the IDMP Data Quality filter as mentioned in test data column and click on background window.<br>*PS* | IDMP Data Quality:<br><Missing, No Inconsistencies> | Values are selected for IDMP Data Quality filter and comparison records satisfying the search criteria are displayed. | IDMP Data Quality: Missing, No Inconsistencies<br><br>AE<br><br>Chandrashekar<br>Naguvanahalli<br>Shankaregowda<br>05 May 2026 at 12:35 PM | Passed      |


|   |   |         |                  |                 |
|---|---|---------|------------------|-----------------|
|  | Project                                   | SPORIFY | Document Type    | OQ Script       |
|   |   |         | Document Version | 1.0             |
| Document Name   | AG_SPOR_2026.1.0.0_OQ_Products_Comparison |         | Page             | Page 111 of 118 |


| Step No | Procedure Steps   | Test Data | Expected Results | Actual Results | Test Status |
|---------|---|-----------|------------------|----------------|-------------|
|         |  <p>The screenshot displays the SPORIFY web application's 'Compare Products' page. The main content area features a table with columns for 'Actions', 'Primary Product', 'Secondary Product', and 'Status'. The table lists three product comparisons: Kivexa 800 mg/300 mg film-coated tablets vs Tivicay 50 mg film-coated tablets, Betnovate Scalp Application 0.1% w/w vs Boostrix Polio, suspensie voor injectie, and Xospata 40 mg film-coated tablets vs film-coated. A 'Domain Filters' panel on the right allows filtering by 'Marketing Auth...' and 'Pharmaceutical...'. A 'Data Quality' dropdown menu is open, showing options for 'Missing', 'Differences', and 'No Inconsistencies', with 'Missing' and 'No Inconsistencies' selected. The browser's address bar shows the URL 'https://sporify-preval.sporify.eu/app/main/products/compare-products'. The system tray at the bottom indicates a temperature of 31°C and the date 5/5/2026.</p> |           |                  |                |             |

|   |   |         |                  |                 |
|---|---|---------|------------------|-----------------|
|  | Project                                   | SPORIFY | Document Type    | OQ Script       |
|   |   |         | Document Version | 1.0             |
| Document Name   | AG_SPOR_2026.1.0.0_OQ_Products_Comparison |         | Page             | Page 112 of 118 |


| Step No | Procedure Steps   | Test Data | Expected Results | Actual Results | Test Status |
|---------|---|-----------|------------------|----------------|-------------|
|         |  |           |                  |                |             |


|   |   |         |                  |                 |
|---|---|---------|------------------|-----------------|
|  | Project                                   | SPORIFY | Document Type    | OQ Script       |
|   |   |         | Document Version | 1.0             |
| Document Name   | AG_SPOR_2026.1.0.0_OQ_Products_Comparison |         | Page             | Page 113 of 118 |


| Step No | Procedure Steps   | Test Data                               | Expected Results | Actual Results | Test Status    |                 |                      |                        |        |        |               |          |                 |   |  |                                   |           |               |                |                 |             |   |                                      |   |           |               |                |                 |             |
|---------|---|---|------------------|----------------|----------------|-----------------|----------------------|------------------------|--------|--------|---------------|----------|-----------------|---|--|-----------------------------------|-----------|---------------|----------------|-----------------|-------------|---|--------------------------------------|---|-----------|---------------|----------------|-----------------|-------------|
|         |  <p>The screenshot shows the 'Compare Products' page in the SPORIFY application. The page title is 'Compare Products   Compare a Primary and Secondary Product'. There is a search bar with the text 'Search keyword'. Below the search bar is a table with the following data:</p> <table border="1"> <thead> <tr> <th>Actions</th> <th>Primary Product ↑↓ ∇</th> <th>Secondary Product ↑↓ ∇</th> <th>Status</th> <th>Export</th> <th>IDMP Sections</th> <th>Insights</th> <th>Created By ↑↓ ∇</th> </tr> </thead> <tbody> <tr> <td>⋮</td> <td>Kivexa 800 mg/300 mg film-coated tablets</td> <td>Tivicay 50 mg film-coated tablets</td> <td>Completed</td> <td>Download icon</td> <td>Bar chart icon</td> <td>Line chart icon</td> <td>prevaluser4</td> </tr> <tr> <td>⋮</td> <td>Betnovate Scalp Application 0.1% w/w</td> <td>Boostrix Polio, suspensie voor injectie</td> <td>Completed</td> <td>Download icon</td> <td>Bar chart icon</td> <td>Line chart icon</td> <td>prevaluser4</td> </tr> </tbody> </table> <p>At the bottom of the table, there is a pagination bar showing 'Total: 2' and a page selector with '1' selected and '50' as the page size.</p> |   |                  |                |                | Actions         | Primary Product ↑↓ ∇ | Secondary Product ↑↓ ∇ | Status | Export | IDMP Sections | Insights | Created By ↑↓ ∇ | ⋮ | Kivexa 800 mg/300 mg film-coated tablets | Tivicay 50 mg film-coated tablets | Completed | Download icon | Bar chart icon | Line chart icon | prevaluser4 | ⋮ | Betnovate Scalp Application 0.1% w/w | Boostrix Polio, suspensie voor injectie | Completed | Download icon | Bar chart icon | Line chart icon | prevaluser4 |
| Actions | Primary Product ↑↓ ∇  | Secondary Product ↑↓ ∇                  | Status           | Export         | IDMP Sections  | Insights        | Created By ↑↓ ∇      |                        |        |        |               |          |                 |   |  |                                   |           |               |                |                 |             |   |                                      |   |           |               |                |                 |             |
| ⋮       | Kivexa 800 mg/300 mg film-coated tablets  | Tivicay 50 mg film-coated tablets       | Completed        | Download icon  | Bar chart icon | Line chart icon | prevaluser4          |                        |        |        |               |          |                 |   |  |                                   |           |               |                |                 |             |   |                                      |   |           |               |                |                 |             |
| ⋮       | Betnovate Scalp Application 0.1% w/w  | Boostrix Polio, suspensie voor injectie | Completed        | Download icon  | Bar chart icon | Line chart icon | prevaluser4          |                        |        |        |               |          |                 |   |  |                                   |           |               |                |                 |             |   |                                      |   |           |               |                |                 |             |


|   |   |         |                         |                 |
|---|---|---------|-------------------------|-----------------|
|  | <b>Project</b>                            | SPORIFY | <b>Document Type</b>    | OQ Script       |
|   |   |         | <b>Document Version</b> | 1.0             |
| <b>Document Name</b>  | AG_SPOR_2026.1.0.0_OQ_Products_Comparison |         | <b>Page</b>             | Page 114 of 118 |


| Step No | Procedure Steps   | Test Data | Expected Results                                     | Actual Results   | Test Status |
|---------|---|-----------|--|--|-------------|
| Step 38 | Navigate to previous tab,<br>Click on User Account details<br>and click on Logout option.<br>*PS* | NA        | The SPORIFY application<br>Log in page is displayed. | AE<br><br>Chandrashekar<br>Naguvanahalli<br>Shankaregowda<br>05 May 2026 at 12:39 PM | Passed      |


|   |   |         |                  |                 |
|---|---|---------|------------------|-----------------|
|  | Project                                   | SPORIFY | Document Type    | OQ Script       |
|   |   |         | Document Version | 1.0             |
| Document Name   | AG_SPOR_2026.1.0.0_OQ_Products_Comparison |         | Page             | Page 115 of 118 |


| Step No | Procedure Steps  | Test Data | Expected Results | Actual Results | Test Status |
|---------|--|-----------|------------------|----------------|-------------|
|         |  <p>The screenshot displays the SPORIFY dashboard with the following components:</p> <ul style="list-style-type: none"> <li><b>Navigation:</b> Left sidebar with 'Dashboard', 'Products', 'Overview', 'Source Lists', 'Target Products', 'Compare Products', 'User Guides', and 'Policies'.</li> <li><b>Dashboard Statistics and Reports:</b> <ul style="list-style-type: none"> <li><b>MAPPING STATUS OVERVIEW:</b> A bar chart showing 'Matched' (approx. 100), 'Not Set' (approx. 100), and 'Not Set' (approx. 100).</li> <li><b>Substances:</b> 6-SPS Available.</li> <li><b>Organisations:</b> Organisations Available.</li> <li><b>Referentials:</b> Referentials Available.</li> </ul> </li> <li><b>RESOLUTION STATUS OVERVIEW:</b> Four donut charts for Substances (Not Set 100%), Products (Matched 59%), Organisations (Not Set 100%), and Referentials (Not Set 100%).</li> <li><b>TARGET SYSTEM UPDATES:</b> A line chart showing updates from Jun-2025 to Apr-2026, with a peak in Aug-2025.</li> <li><b>SPORIFY ACTIVITY:</b> A section for activity logs.</li> <li><b>TARGET SYSTEM ACTIVITY:</b> A section for system activity logs.</li> </ul> <p>System information at the bottom: 31°C, Mostly sunny, 12:37 PM, 5/5/2026.</p> |           |                  |                |             |

|   |   |         |                  |                 |
|---|---|---------|------------------|-----------------|
|  | Project                                   | SPORIFY | Document Type    | OQ Script       |
|   |   |         | Document Version | 1.0             |
| Document Name   | AG_SPOR_2026.1.0.0_OQ_Products_Comparison |         | Page             | Page 116 of 118 |

| Step No | Procedure Steps   | Test Data | Expected Results | Actual Results | Test Status |
|---------|---|-----------|------------------|----------------|-------------|
|         |  |           |                  |                |             |

|   |   |         |                  |                 |
|---|---|---------|------------------|-----------------|
|  | Project                                   | SPORIFY | Document Type    | OQ Script       |
|   |   |         | Document Version | 1.0             |
| Document Name   | AG_SPOR_2026.1.0.0_OQ_Products_Comparison |         | Page             | Page 117 of 118 |

| Step No | Procedure Steps   | Test Data | Expected Results | Actual Results | Test Status |
|---------|---|-----------|------------------|----------------|-------------|
|         |  |           |                  |                |             |

|   |   |         |                         |                 |
|---|---|---------|-------------------------|-----------------|
|  | <b>Project</b>                            | SPORIFY | <b>Document Type</b>    | OQ Script       |
|   |   |         | <b>Document Version</b> | 1.0             |
| <b>Document Name</b>  | AG_SPOR_2026.1.0.0_OQ_Products_Comparison |         | <b>Page</b>             | Page 118 of 118 |

## 7. Post Execution Signatures

|                      |   |              |                         |
|----------------------|---|--------------|-------------------------|
| <b>Executed By :</b> | Chandrashekar Naguvanahalli Shankaregowda<br>00005325<br>Executor | <b>Date:</b> | 05 May 2026 at 12:39 PM |
| <b>Reviewed By :</b> | Santhosh Subramanyam<br>00002803<br>Reviewer                      | <b>Date:</b> | 13 May 2026 at 11:58 AM |
| <b>Approved By :</b> | Arun Dominick<br>00002459<br>Approver                             | <b>Date:</b> | 13 May 2026 at 02:56 PM |